

Date	Journal	Title	Study type	Country	Authors	Link	Trial identifier	Intervention	Main question
9-Apr-21	Lancet Respir Med.	Inhaled budesonide in the treatment of early COVID-19 (STOIC): a phase 2, open-label, randomised controlled trial	RCT 2 phase	UK	Ramakrishnan S., et al.	<a href="https://www.thelancet.com/journals/lanres/article/PIIS2213-2600(21)00160-0/fulltext">https://www.thelancet.com/journals/lanres/article/PIIS2213-2600(21)00160-0/fulltext</a>	NCT04416399	inhaled glucocorticoid budesonide	To evaluate the efficacy of the widely used inhaled glucocorticoid budesonide in individuals with early COVID-19 in the community.
30-Mar-21	Lancet	Efficacy of ChAdOx1 nCoV19 (AZD1222) vaccine against SARS-CoV-2 variant of concern 202012/01 (B.1.1.7): an exploratory analysis of a randomised controlled trial	vaccine	UK	Emary K.R.W., et al	<a href="https://www.thelancet.com/journals/lanres/article/PIIS2213-2600(21)00628-0/fulltext">https://www.thelancet.com/journals/lanres/article/PIIS2213-2600(21)00628-0/fulltext</a>	NCT04400838	ChAdOx1 nCoV-19 (AZD1222) vaccine	post-hoc analysis of the efficacy of the adenoviral vector vaccine, ChAdOx1 nCoV-19 (AZD1222), against the variant B.1.1.7.
10-Apr-21	BMC Infectious Diseases	Methylprednisolone or dexamethasone, which one is superior corticosteroid in the treatment of hospitalized COVID-19 patients: a triple-blinded randomized controlled trial	RCT	Iran	Ranjbar B	<a href="https://bmcinfectdis.biomedcentral.com/articles/10.1186/s12879-021-06045-3">https://bmcinfectdis.biomedcentral.com/articles/10.1186/s12879-021-06045-3</a>	IRCT20200204046369N1	Methylprednisolone or dexamethason	To assess the effectiveness of methylprednisolone treatment versus dexamethasone for hospitalized COVID-19 patients.
8-Apr-2021	MedRxiv	Immunogenicity and Safety of a SARS-CoV-2 Inactivated Vaccine (KCONVAC) in Healthy Adults: Two Randomized, Double-blind, and Placebo-controlled Phase I/2 Clinical Trials	Two phase 1 and phase 2 randomized, double-blind, and placebo-controlled trials of KCONVAC	China	Pan H et al	<a href="https://www.medrxiv.org/content/10.1101/2021.04.07.21253850v1.full.pdf">https://www.medrxiv.org/content/10.1101/2021.04.07.21253850v1.full.pdf</a>	NCT04758273 AND NCT04756323	KCONVAC	To report the immunogenicity and safety of a SARS-CoV-2 inactivated vaccine, KCONVAC, in healthy adults.
1-Apr-2021	MedRxiv	INTERIM REPORT: SAFETY AND IMMUNOGENICITY OF AN INACTIVATED VACCINE AGAINST SARS-COV-2 IN HEALTHY CHILEAN ADULTS IN A PHASE 3 CLINICAL TRIAL	Interim analysis of a multicenter phase 3 CT	Chile	Bueno SM et al	<a href="https://www.medrxiv.org/content/10.1101/2021.03.31.21254494v1.full.pdf">https://www.medrxiv.org/content/10.1101/2021.03.31.21254494v1.full.pdf</a>	NCT04651790	CoronaVac	To evaluate safety parameters and immunogenicity against SARS-CoV-2 after immunization with CoronaVac
30-Mar-2021	MedRxiv	A RANDOMIZED TRIAL - INTENSIVE TREATMENT BASED IN IVERMECTIN AND IOTA-CARRAGEENAN AS PRE-EXPOSURE PROPHYLAXIS FOR COVID-19 IN HEALTHCARE AGENTS	RCT	Argentina	Chahla RE et al	<a href="https://www.medrxiv.org/content/10.1101/2021.03.26.21254398v1.full.pdf">https://www.medrxiv.org/content/10.1101/2021.03.26.21254398v1.full.pdf</a>	NCT04701710	Ivermectin / IotaCarrageenan	To assess the effect of oral Ivermectin treatment, which has been associated with Iota-carrageenan in repeated doses through the nasal and oral topical route, on the appearance and eventual progression of COVID-19 disease in a healthy population that are exposed to it and have a higher risk of contagion of SARS-CoV-2
15-Apr-2021	MedRxiv	Efficacy of a nasal spray containing Iota-Carrageenan in the prophylaxis of COVID-19 in hospital personnel dedicated to patients care with COVID-19 disease	RCT	Argentina	CARR-COV2 Trial Group collaborators	<a href="https://www.medrxiv.org/content/10.1101/2021.04.13.21255409v1.full.pdf">https://www.medrxiv.org/content/10.1101/2021.04.13.21255409v1.full.pdf</a>	NCT04521322	Nasal spray containing Iota-Carrageenan (I-C) or placebo for 21 days.	To assess the use of a nasal spray containing I-C in the prophylaxis of COVID-19 in hospital personnel dedicated to care of COVID-19 patients
15-Apr-2021	MedRxiv	Performance of vaccination with CoronaVac in a cohort of healthcare workers (HCW) - preliminary report	preliminary report	Brazil	De Faria E et al	<a href="https://www.medrxiv.org/content/10.1101/2021.04.12.21255308v1.full.pdf">https://www.medrxiv.org/content/10.1101/2021.04.12.21255308v1.full.pdf</a>	NA	CoronaVac	to report the occurrence of symptomatic COVID-19 in a cohort of healthcare workers (HCW) vaccinated with CoronaVac and to estimate its effectiveness.
8-Apr-2021	EClinicalMedicine	RBD-specific polyclonal F(ab) <sub>2</sub> fragments of equine antibodies in patients with moderate to severe COVID-19 disease: A randomized, multicenter, double-blind, placebo-controlled, adaptive phase 2/3 clinical trial	RCT	Argentina	Lopardo et al	<a href="https://www.ncbi.nlm.nih.gov/pmc/articles/PMC8037439/pdf/main.pdf">https://www.ncbi.nlm.nih.gov/pmc/articles/PMC8037439/pdf/main.pdf</a>	NCT04494984	Equine poly-clonal antibodies (EpAbs)	To analyze the safety and efficacy of specific anti SARS-CoV-2 EpAbs in hospitalized patients with moderate and severe COVID-19 disease
12-Apr-2021	Int J of Infectious Diseases	Effect of Ammonium Chloride in addition to standard of care in outpatients and hospitalized COVID-19 patients: a randomized clinical trial	RCT	Iran	Siami Z et al	<a href="https://pubmed.ncbi.nlm.nih.gov/33878462/">https://pubmed.ncbi.nlm.nih.gov/33878462/</a>	NA	Diphenhydramine Compound (Diphenhydramine + Ammonium Chloride) plus standard of care or Diphenhydramine alone and standard of care groups	Quaternary ammonium compounds have been demonstrated to have antiviral effects and may be of use against SARS-CoV-2 infections.
13-Apr-2021	Scientific reports	Role of interferon therapy in severe COVID-19: the COVIFERON randomized controlled trial	RCT	Iran	Darazam IA et al	<a href="https://www.nature.com/articles/s41598-021-86859-y">https://www.nature.com/articles/s41598-021-86859-y</a>	NCT04343768	IFNβ1a and IFNβ1b	To determine any possible effects and safety concerns of the two most promising exogenously administrable IFNs on the course and outcomes of patients hospitalized with severe COVID-19.
30-Mar-2021	Nature Comm	Peginterferon Lambda-1a for treatment of outpatients with uncomplicated COVID-19: a randomized placebo-controlled trial	RCT	USA	Jagannathan P et al	<a href="https://pubmed.ncbi.nlm.nih.gov/33785743/">https://pubmed.ncbi.nlm.nih.gov/33785743/</a>	NCT04331899	Peginterferon Lambda-1a	To evaluate the efficacy of Lambda in reducing the duration of viral shedding in outpatients.
19-Apr-21	The Lancet Infectious Disease	Safety and immunogenicity of SARS-CoV-2 recombinant protein vaccine formulations in healthy adults: a randomised, placebo-controlled, dose-ranging study	Vaccine trial phase I/II	Multinational	Goepfert et al.	<a href="https://www.thelancet.com/journals/laninf/article/PIIS1473-3099(21)00147-X/fulltext">https://www.thelancet.com/journals/laninf/article/PIIS1473-3099(21)00147-X/fulltext</a>	NCT04537208	CoV2 preS dTM vaccine	Safety and immunogenicity of CoV2 preS dTM vaccine
19-Apr-21	The Lancet Infectious Disease	Safety and immunogenicity of an MF59-adjuvanted spike glycoprotein-clamp vaccine for SARS-CoV-2: a randomised, double-blind, placebo controlled, phase 1 trial	Vaccine trial phase I	Australia	Chappell et al.	<a href="https://www.thelancet.com/journals/laninf/article/PIIS1473-3099(21)00200-0/fulltext">https://www.thelancet.com/journals/laninf/article/PIIS1473-3099(21)00200-0/fulltext</a>	NCT04495933	MF59-adjuvanted subunit vaccine	Safety and immunogenicity of MF59-adjuvanted subunit vaccine
24-Mar-21	The Lancet Infectious Diseases	Safety and immunogenicity of a recombinant tandem-repeat dimeric RBD-based protein subunit vaccine (ZF2001) against COVID-19 in adults: two randomised, double-blind, placebo-controlled, phase 1 and 2 trials	vaccine - pha	China	ShilongYang, et al.	<a href="https://www.sciencedirect.com/science/article/S1473309921001274/pii/S1473309921001274/pii?via%3Dihub">https://www.sciencedirect.com/science/article/S1473309921001274/pii?via%3Dihub</a>	445194 and NCT044	ZF2001 Vaccine - protein subunit vaccine against COVID-19 using a dimeric form of the receptor-binding domain (RBD) of the SARS-CoV-2 spike protein as the antigen	To assess the safety and immunogenicity of this vaccine, ZF2001, and determine the appropriate dose and schedule for an efficacy study.
25-Mar-21	Invoices in Resp	Clinical effectiveness of drugs in hospitalized patients with COVID-19: a systematic review and meta-analysis	meta-analysis	Mexico	Zuhiga RAA, et al.	<a href="https://journals.sagepub.com/doi/10.1177/17534666211007214">https://journals.sagepub.com/doi/10.1177/17534666211007214</a>	NA	ne, lopinavir, ritonavir,	To assess the clinical effectiveness of drugs used in hospitalized patients with COVID-19 infection.

25-Mar-21	JAMA	Effect of Helmet Noninvasive Ventilation vs High-Flow Nasal Oxygen on Days Free of Respiratory Support in Patients With COVID-19 and Moderate to Severe Hypoxemic Respiratory Failure The HENIVOT Randomized Clinical Trial	RCT	International	Domenico Luca Grieco	<a href="https://jamanetwork.com/journals/jama/fullarticle/2778088">https://jamanetwork.com/journals/jama/fullarticle/2778088</a>	NCT04502576	oxygen	To assess whether helmet noninvasive ventilation can increase the days free of respiratory support in patients with COVID-19 compared with high-flow nasal oxygen alone.
18-Mar-21	JAMA	Effect of Intermediate-Dose vs Standard-Dose Prophylactic Anticoagulation on Thrombotic Events, Extracorporeal Membrane Oxygenation Treatment, or Mortality Among Patients With COVID-19 Admitted to the Intensive Care Unit The INSPIRATION Randomized Clinical Trial	RCT	Iran	INSPIRATION Investigators	<a href="https://jamanetwork.com/journals/jama/fullarticle/2777829">https://jamanetwork.com/journals/jama/fullarticle/2777829</a>	NCT04486508	low-dose prophylactic anticoagulation	To evaluate the effects of intermediate-dose vs standard-dose prophylactic anticoagulation among patients with COVID-19 admitted to the intensive care unit (ICU)
8-Mar-2021	Lancet Infect Dis	Safety and immunogenicity of an inactivated SARS-CoV-2 vaccine, BBV152: interim results from a double blind, randomised, multicentre, phase 2 trial, and 3-month follow-up of a double-blind, randomised phase 1 trial	Vaccine trial Phase II	India	Ella R., et al.	<a href="https://www.thelancet.com/journals/laninf/article/PIIS1473-3099(21)00070-0/fulltext">https://www.thelancet.com/journals/laninf/article/PIIS1473-3099(21)00070-0/fulltext</a>	NCT04471519	BBV152 (Bharat Biotech) vaccine	To evaluate the safety and immunogenicity of an inactivated SARS-CoV-2 vaccine, BBV152.
4-Mar-2021	JAMA	Effect of Ivermectin on Time to Resolution of Symptoms Among Adults With Mild COVID-19A Randomized Clinical Trial	RCT Phase III	Colombia/USA	Lopez-Medina E., et al.	<a href="https://jamanetwork.com/journals/jama/fullarticle/2777389">https://jamanetwork.com/journals/jama/fullarticle/2777389</a>	NCT04405843	Ivermectin	To determine whether ivermectin is an efficacious treatment for mild COVID-19.
4-Mar-2021	Lancet Respir Med	Sarilumab in patients admitted to hospital with severe or critical COVID-19: a randomised, double-blind, placebo-controlled, phase 3 trial	RCT Phase III	International	Lescure FX., et al.	<a href="https://www.thelancet.com/journals/lanres/article/PIIS2213-2600(21)00099-0/fulltext">https://www.thelancet.com/journals/lanres/article/PIIS2213-2600(21)00099-0/fulltext</a>	NCT04327388	Sarilumab	To assess safety and efficacy of sarilumab, an interleukin-6 receptor inhibitor, in patients with severe (requiring supplemental oxygen by nasal cannula or face mask) or critical (requiring greater supplemental oxygen, mechanical ventilation, or extracorporeal support) COVID-19.
4-Mar-2021	Lancet	Azithromycin for community treatment of suspected COVID-19 in people at increased risk of an adverse clinical course in the UK (PRINCIPLE): a randomised, controlled, open-label, adaptive platform trial	RCT Phase III	UK	PRINCIPLE Trial Collaborative Group	<a href="https://www.thelancet.com/journals/lancet/article/PIIS0140-6736(21)00461-X/fulltext">https://www.thelancet.com/journals/lancet/article/PIIS0140-6736(21)00461-X/fulltext</a>	ISRCTN86534580	Azithromycin	To assess the effectiveness of azithromycin to treat suspected COVID-19 among people in the community who had an increased risk of complications.
1-Mar-2021	Antimicrob Agents Chemother	Human Safety, Tolerability, and Pharmacokinetics of Molnupiravir, a Novel Broad-Spectrum Oral Antiviral Agent with Activity Against SARS-CoV-2	RCT Phase I	USA	Painter W. P., et al.	<a href="https://aac.asm.org/content/early/2021/02/24/AAC.02428-20">https://aac.asm.org/content/early/2021/02/24/AAC.02428-20</a>	NCT04392219	Molnupiravir, EIDD-2801/MK-4482, first-in-human, phase 1, randomized, double-blind, placebo-controlled study in healthy volunteers, which included evaluation of the effect of food on pharmacokinetics.	Single and multiple doses of molnupiravir were evaluated in this prodrug of the active antiviral ribonucleoside analog 14B-d-N4-hydroxycytidine (NHC; EIDD-1931).
11-Mar-2021	JAMA	Immunogenicity of the Ad26.COV2.S Vaccine for COVID-19	Vaccine trial Phase I	USA	Kathryn E. Stephenson	<a href="https://jamanetwork.com/journals/jama/fullarticle/2777389">Immunogenicity of the Ad26.COV2.S Vaccine for COVID-19   Vaccination   JAMA   JAMA Network</a>	NCT04436276	Ad26.COV2.S Vaccine (Janssen)	To evaluate the immunogenicity of the Ad26.COV2.S vaccine (Janssen/Johson & Johnson) in humans, including the kinetics, magnitude, and phenotype of SARS-CoV-2 spike-specific humoral and cellular immune responses.
10-Feb-2021	Signal Transduct Target Ther	Effect of human umbilical cord-derived mesenchymal stem cells on lung damage in severe COVID-19 patients: a randomized, double-blind, placebo-controlled phase 2 trial	Vaccine trial Phase I/II	China	Shi et al.	<a href="https://pubmed.ncbi.nlm.nih.gov/33568628/">https://pubmed.ncbi.nlm.nih.gov/33568628/</a>	NCT04288102	Human umbilical cord-derived mesenchymal stem cells	To assess the efficacy and safety of human umbilical cord-mesenchymal stem cells (UC-MSCs) to treat severe COVID-19 patients with lung damage, based on our phase 1 data.
9-Feb-2021	Vaccine	A preliminary report of a randomized controlled phase 2 trial of the safety and immunogenicity of mRNA-1273 SARS-CoV-2 vaccine	RCT phase II	US	Laurence Chu	<a href="https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7929568/pdf/pmed.1003415.pdf">A preliminary report of a randomized controlled phase 2 trial of the safety and immunogenicity of mRNA-1273 SARS-CoV-2 vaccine - ScienceDirect</a>	NCT04405076	mRNA-1273 vaccine	To evaluate the safety and immunogenicity of vaccine candidate mRNA-1273, encoding the prefusion-stabilized spike protein of SARS-CoV-2.
03-Mar-21	Plos Med	Early versus deferred anti-SARS-CoV-2 convalescent plasma in patients admitted for COVID-19: A randomized phase II clinical trial	RCT	Chile	Balcells MA et al	<a href="https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7929568/pdf/pmed.1003415.pdf">https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7929568/pdf/pmed.1003415.pdf</a>	NCT04375098	Convalescent Plasma	To evaluate the efficacy and safety of early Convalescent Plasma therapy in COVID-19 progression
07-Mar-21	Thrombosis and Haemostasis	Sulodexide in the treatment of patients with early stages of COVID-19: a randomized controlled trial	RCT	Mexico	Gonzalez Ochoa AJ et al	<a href="https://pubmed.ncbi.nlm.nih.gov/33677827/">https://pubmed.ncbi.nlm.nih.gov/33677827/</a>	ISRCTN59048638	Oral dose of sulodexide (500 LRU twice a day) or placebo for 21 days	To evaluate the effect of sulodexide when used in the early clinical stages of COVID-19
16-Mar-21	NEJM	Efficacy of the ChAdOx1 nCoV-19 Covid-19 Vaccine against the B.1.351 Variant	RCT	South Africa	Madhi SA et al	<a href="https://www.nejm.org/doi/pdf/10.1056/NEJMoa2102214?articleTools=tr">https://www.nejm.org/doi/pdf/10.1056/NEJMoa2102214?articleTools=tr</a>	NCT04444674	ChAdOx1 nCoV-19 vaccine (AZD1222)	To assess the safety and efficacy of the ChAdOx1 nCoV-19 vaccine (AZD1222) in people not infected with the human immunodeficiency virus (HIV) in South Africa.
24-Feb-21	NEJM	BNT162b2 mRNA Covid-19 Vaccine in a Nationwide Mass Vaccination Setting	Vaccine	Israel	Dagan N., et al.	<a href="https://www.nejm.org/doi/10.1056/NEJMoa2101765">https://www.nejm.org/doi/10.1056/NEJMoa2101765</a>	NA	BNT162b2 mRNA Covid-19 Vaccine	Evaluation of the effectiveness of the BNT162b2 mRNA vaccine based on data from Israel's largest health care organization
19-Feb-21	Lancet	Single-dose administration and the influence of the timing of the booster dose on immunogenicity and efficacy of ChAdOx1 nCoV19 (AZD1222) vaccine: a pooled analysis of four randomised trials	Vaccine	UK	Voysey M., et al.	<a href="https://www.thelancet.com/journals/lancet/article/PIIS0140-6736(21)00432-3/fulltext">https://www.thelancet.com/journals/lancet/article/PIIS0140-6736(21)00432-3/fulltext</a>	NA	ChAdOx1 nCoV-19 vaccine	Exploratory analyses of the impact on immunogenicity and efficacy of extending the interval between priming and booster doses. - Immunogenicity and protection afforded by the first dose, before a booster dose has been offered.
18-Feb-21	Lancet	Early rate reductions of SARS-CoV-2 infection and COVID-19 in BNT162b2 vaccine recipients	Vaccine	Israel	Amit S., et al.	<a href="https://www.thelancet.com/journals/lancet/article/PIIS0140-6736(21)00448-7/fulltext">https://www.thelancet.com/journals/lancet/article/PIIS0140-6736(21)00448-7/fulltext</a>	NA	BNT162b2 vaccine	To examine early reductions in SARS-CoV-2 infection and COVID19 rates in vaccinated HCWs.
28-Feb-21	JAMA	Association of Convalescent Plasma Treatment With Clinical Outcomes in Patients With COVID-19 A Systematic Review and Meta-analysis	Metaanalysis	International	Janiaud et al.	<a href="https://jamanetwork.com/journals/jama/fullarticle/2777060">https://jamanetwork.com/journals/jama/fullarticle/2777060</a>	NA	convalescent plasma	Is treatment with convalescent plasma associated with improved clinical outcomes?
17-Feb-21	JAMA	Effect of a Single High Dose of Vitamin D3 on Hospital Length of Stay in Patients With Moderate to Severe COVID-19. A Randomized Clinical Trial	RCT	Brazil	Murai et al.	<a href="https://jamanetwork.com/journals/jama/fullarticle/2777060">Effect of a Single High Dose of Vitamin D3 on Hospital Length of Stay in Patients With Moderate to Severe COVID-19: A Randomized Clinical Trial   Complementary and Alternative Medicine   JAMA   JAMA Network</a>	NCT04449718	Vitamin D3	To investigate the effect of a single high dose of vitamin D3 on hospital length of stay in patients with COVID-19.

12-Feb-21	JAMA	Effect of High-Dose Zinc and Ascorbic Acid Supplementation vs Usual Care on Symptom Length and Reduction among Ambulatory Patients With SARS-CoV-2 Infection The COVID A to Z Randomized Clinical Trial	RCT	US	Thomas et al.	<a href="https://jamanetwork.com/journals/jamanetworkopen/fullarticle/2776305">https://jamanetwork.com/journals/jamanetworkopen/fullarticle/2776305</a>	NCT04342728	Zinc gluconate (50 mg), ascorbic acid (8000 mg), both agents, or standard of care.	To examine whether high-dose zinc and/or high-dose ascorbic acid reduce the severity or duration of symptoms compared with usual care among ambulatory patients with SARS-CoV-2 infection
4-Feb-21	JAMA	Povidone Iodine Mouthwash, Gargle, and Nasal Spray to Reduce Nasopharyngeal Viral Load in Patients With COVID-19. A Randomized Clinical Trial	RCT	France	Guenezan	<a href="https://jamanetwork.com/journals/jamaotolaryngology/fullarticle/2775984">https://jamanetwork.com/journals/jamaotolaryngology/fullarticle/2775984</a>	NCT04371965	Povidone iodine (PI) solutions.	Whether nasopharyngeal application of PI could reduce the viral load of patients with nonsevere coronavirus disease 2019 (COVID-19) symptoms.
22-Jan-21	Respiration	Early Use of Corticosteroid May Prolong SARS-CoV-2 Shedding in Non-Intensive Care Unit Patients with COVID-19 Pneumonia: A Multicenter, Single-Blind, Randomized Control Trial	RCT	China	Tang et al.	<a href="https://pubmed.ncbi.nlm.nih.gov/33486496/">https://pubmed.ncbi.nlm.nih.gov/33486496/</a>	NCT04273321	methylprednisolone	Efficacy and safety of corticosteroid given to the hospitalized patients with COVID-19
Jan-21	European Respiratory Journal	Early use of nitazoxanide in mild Covid-19 disease: randomised, placebo-controlled trial	RCT	Brazil	Rocco et al.	<a href="https://erljournals.com/content/erj/early/2021/01/04/13993003.03725-2020.full.pdf">https://erljournals.com/content/erj/early/2021/01/04/13993003.03725-2020.full.pdf</a>	NCT04552483	nitazoxanide	Efficacy and safety of nitazoxanide in COVID-19 patients
Jan-21	Stem Cell Transplantation Medicine	Umbilical cord mesenchymal stem cells for COVID-19 acuter respiratory distress syndrome: A double-blind, phase 1/2a, randomized controlled trial	RCT	USA	Lanzoni et al.	<a href="https://stemcellsjournals.onlinelibrary.wiley.com/doi/epdf/10.1002/sctm.20-0472">https://stemcellsjournals.onlinelibrary.wiley.com/doi/epdf/10.1002/sctm.20-0472</a>	NCT04355728	mesenchymal stem cell	Safety of MSC in COVID-19 patients
1-Mar-21	MedRxiv	Evaluation of a SARS-CoV-2 Vaccine NVX-CoV2373 in Younger and Older Adults	RCT	USA	Neil Formica et al	<a href="https://www.medrxiv.org/content/10.1101/2021.02.26.21252482v1.full.pdf">https://www.medrxiv.org/content/10.1101/2021.02.26.21252482v1.full.pdf</a>	NCT04368988	NVX-CoV2373 vaccine	Evaluation of a SARS-CoV-2 Vaccine NVX-CoV2373
25-Jan-21	Archives of Virology	Efficacy of favipiravir in COVID-19 treatment: a multi-center randomized study	RCT	Egypt	Dabbous HM et al	<a href="https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7829645/pdf/705_2021_Article_4956.pdf">https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7829645/pdf/705_2021_Article_4956.pdf</a>	NCT04351295	chloroquine and favipiravir	To evaluate the efficacy of favipiravir
25-Feb-21	NEJM	Dexamethasone in Hospitalized Patients with Covid-19	RCT	UK	Horby P et al (RECOVERY Group)	<a href="https://www.nejm.org/doi/pdf/10.1056/NEJMoa2021436?articleTools=true">https://www.nejm.org/doi/pdf/10.1056/NEJMoa2021436?articleTools=true</a>	NCT04381936; ISRCTN number, 50189673	dexamethasone	To evaluate the effects of potential treatments in patients hospitalized with Covid-19 at
25-Feb-21	NEJM	Tocilizumab in Hospitalized Patients with Severe Covid-19 Pneumonia	RCT	USA	Rosas IO et al	<a href="https://www.nejm.org/doi/pdf/10.1056/NEJMoa2028700?articleTools=true">https://www.nejm.org/doi/pdf/10.1056/NEJMoa2028700?articleTools=true</a>	NCT04320615	tocilizumab	To assess the efficacy and safety of tocilizumab in hospitalized patients with severe Covid-19 pneumonia
25-Feb-21	NEJM	Interleukin-6 Receptor Antagonists in Critically Ill Patients with Covid-19	RCT	UK	Gordon AC et al	<a href="https://www.nejm.org/doi/pdf/10.1056/NEJMoa2100433?articleTools=true">https://www.nejm.org/doi/pdf/10.1056/NEJMoa2100433?articleTools=true</a>	REMAP-CAP ClinicalTrials.gov number, NCT02735707	tocilizumab and sarilumab	To assess the efficacy of interleukin-6 receptor antagonists in critically ill patients with Covid-19
20-Jan-21	BMJ	Effect of tocilizumab on clinical outcomes at 15 days in patients with severe or critical coronavirus disease 2019: randomised controlled trial	RCT	Brazil	Veiga, V.C. et al.	<a href="https://www.bmj.com/content/372/bmj.n84">https://www.bmj.com/content/372/bmj.n84</a>	NCT04403685	tocilizumab	Does tocilizumab improves clinical outcomes for patients with severe or COVID-19?
13-Jan-21	NEJM	Interim Results of a Phase 1-2a Trial of Ad26.COV2.S vaccine Phase I/IIa		USA	Sadoff J., et al.	<a href="https://www.thelancet.com/journals/lancet/article/PIIS0140-6736(21)00241-5/fulltext">Interim Results of a Phase 1-2a Trial of Ad26.COV2.S Covid-19 Vaccine   NEJM</a>	NCT04436276. opens in new tab.	Ad26.COV2.S vaccine	The safety and immunogenicity profiles of Ad26.COV2
13-Jan-21	NEJM	Early Safety Indicators of COVID-19 Convalescent Plasma in 5,000 Patients	expanded access program	USA	Joyner et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.05.12.20099879v1.full.pdf">https://www.medrxiv.org/content/10.1101/2020.05.12.20099879v1.full.pdf</a>	NCT04383860	Convalescent plasma	To assess whether convalescent plasma with high antibody levels rather than low antibody levels is associated with a lower risk of death. Primary outcome: death within 30 days after plasma transfusion.
11-Nov-20	Postgraduate Medical Journal	Short term, high-dose vitamin D supplementation for COVID-19 disease: a randomised, placebo-controlled, study (SHADE study)	RCT	India	Rastogi et al.	<a href="https://pmj.bmj.com/content/early/2020/11/12/postgradmedj-2020-139065">https://pmj.bmj.com/content/early/2020/11/12/postgradmedj-2020-139065</a>	NCT04459247	Vitamin D	Do high doses of cholecalciferol lead to SARS-CoV-2 negativity in greater proportions?
29-Jan-21	The Lancet	Safety and immunogenicity of S-Trimer (SCB-2019), a protein subunit vaccine candidate for COVID-19 in healthy adults: a phase 1, randomised, double-blind, placebo-controlled trial	Phase I vaccine trial	Multinational	Richmond et al.	<a href="https://www.thelancet.com/journals/lancet/article/PIIS0140-6736(21)00241-5/fulltext">https://www.thelancet.com/journals/lancet/article/PIIS0140-6736(21)00241-5/fulltext</a>	NCT04405908	S-Trimer (SCB-2019)	Dose-finding and adjuvant justification of SCB-2019 vaccine
02-Feb-21	The Lancet	Safety and efficacy of an rAd26 and rAd5 vector-based heterologous prime-boost COVID-19 vaccine: an interim analysis of a randomised controlled phase 3 trial in Russia	Phase III vaccine trial	Russia	Logunov et al.	<a href="https://www.thelancet.com/journals/lancet/article/PIIS0140-6736(21)00234-8/fulltext">https://www.thelancet.com/journals/lancet/article/PIIS0140-6736(21)00234-8/fulltext</a>	NCT04530396	Gam-COVID-Vac (Sputnik V)	Efficacy and safety of Gam-COVID-Vac
06-Jan-21	NEJM	Early High-Titer Plasma Therapy to Prevent Severe Covid-19 in Older Adults	RCT	Argentina	Libster R, et al.	<a href="https://www.thelancet.com/journals/lancet/article/PIIS0140-6736(21)00234-8/fulltext">Early High-Titer Plasma Therapy to Prevent Severe Covid-19 in Older Adults   NEJM</a>	NCT04479163	Convalescent plasma	Does convalescent plasma reduce the development of severe respiratory disease?
30-Dec-21	NEJM	Efficacy and Safety of the mRNA-1273 SARS-CoV-2 Vaccine	Vaccine - phase III	USA	Baden LR, et al.	<a href="https://www.nejm.org/doi/full/10.1056/NEJMoa2035389?query=feature%3Acoronavirus">https://www.nejm.org/doi/full/10.1056/NEJMoa2035389?query=feature%3Acoronavirus</a>	NCT04470427	mRNA-1273 SARS-CoV-2 Vaccine	Efficacy, Safety, and Immunogenicity of mRNA-1273 Vaccine in Adults Aged 18 Years and Older to Prevent COVID-19
12-Jan-21	MedRxiv	Enisamium is an inhibitor of the SARS-CoV-2 RNA polymerase and shows improvement of recovery in COVID-19 patients in an interim analysis of a clinical trial	RCT	Multinational	Holubovska et al.	<a href="https://www.medrxiv.org/content/10.1101/2021.01.05.21249237v1.full-text">https://www.medrxiv.org/content/10.1101/2021.01.05.21249237v1.full-text</a>	NCT04682873	enisamium	Efficacy and safety of enisamium at COVID-19 patients
20-Jan-21	MedRxiv	Safety and immunogenicity of SARS-CoV-2 recombinant protein vaccine formulations in healthy adults: a randomised, placebo-controlled, dose-ranging study	Vaccine trial phase I/II	Multinational	Goepfert et al.	<a href="https://www.medrxiv.org/content/10.1101/2021.01.19.20248611v1">https://www.medrxiv.org/content/10.1101/2021.01.19.20248611v1</a>	NCT04537208	CoV2 preS dTM vaccine	Safety and immunogenicity of CoV2 preS dTM vaccine
09-Jan-21	Annals of Intensive Care	Pilot trial of high-dose vitamin C in critically ill COVID-19 patients	RCT	China	Zhang et al.	<a href="https://link.springer.com/article/10.1186/s13613-020-00792-3">https://link.springer.com/article/10.1186/s13613-020-00792-3</a>	NCT04264533	Vitamin C	Effect of high doses of vitamin C
01-Feb-21	International Journal of Infectious Diseases	Efficacy and safety of favipiravir, an oral RNA-dependent RNA polymerase inhibitor, in mild-to-moderate COVID-19: A randomized, comparative, open label, multicenter, phase 3 clinical trial	RCT	India	Udwadia et al.	<a href="https://www.sciencedirect.com/science/article/pii/S120197122032453X?via%3DIihub">https://www.sciencedirect.com/science/article/pii/S120197122032453X?via%3DIihub</a>	CTRI/2020/05/025114	favipiravir	Efficacy and safety of favipiravir in adults with mild-to-moderate COVID-19
08-Dec-20	Lancet	Safety and efficacy of the ChAdOx1 nCoV-19 vaccine (AZD1222) against SARS-CoV-2: an interim analysis of four randomised controlled trials in Brazil, South Africa, and the UK	phase I/II/III vaccine trial	Multinational	Voysey et al.	<a href="https://www.thelancet.com/journals/lancet/article/PIIS0140-6736(20)32661-1/fulltext">https://www.thelancet.com/journals/lancet/article/PIIS0140-6736(20)32661-1/fulltext</a>	ISRCTN89951424, NCT04324606, NCT04400838, and NCT04444674	ChAdOx1 nCoV-19 vaccine	To test the safety and efficacy of the ChAdOx1 nCoV-19 vaccine
11-Dec-20	NEJM	Baricitinib plus Remdesivir for Hospitalized Adults with Covid-19	RCT	USA	Kallil A.C., et al	<a href="https://www.thelancet.com/journals/lancet/article/PIIS0140-6736(20)32661-1/fulltext">Baricitinib plus Remdesivir for Hospitalized Adults with Covid-19   NEJM</a>	NCT04401579	Baricitinib plus Remdesivir	Effect of baricitinib (≤14 days) plus remdesivir (≤10 days) vs. remdesivir alone in hospitalized adults with Covid-19
17-Dec-20	NEJM	Tocilizumab in Patients Hospitalized with Covid-19 Pneumonia	RCT	USA	Salama et al.	<a href="https://www.nejm.org/doi/10.1056/NEJMoa2030340">https://www.nejm.org/doi/10.1056/NEJMoa2030340</a>	NCT04372186	tocilizumab	To test the safety and efficacy of tocilizumab in hospitalized patients with Covid-19 pneumonia
31-Dec-20	Preprint	Exogenous Surfactant Versus Placebo in the Treatment of Moderate and Severe ARDS in COVID19: The Pilot Study of a Clinical Trial	RCT	Iran	Ghahremani et al.	<a href="https://assets.researchsquare.com/files/rs-136365/v1/adcad24b-f7ed-477b-a235-235f84f8ce1b.pdf">https://assets.researchsquare.com/files/rs-136365/v1/adcad24b-f7ed-477b-a235-235f84f8ce1b.pdf</a>	IRCT20091201002804N12	surfactant	Is surfactant effective in COVID-19 patients?
02-Dec-20	NEJM	Repurposed Antiviral Drugs for Covid-19 — Interim WHO Solidarity Trial Results	RCT	Multinational	WHO Solidarity Trial Consortium	<a href="https://www.thelancet.com/journals/lancet/article/PIIS0140-6736(20)32661-1/fulltext">Repurposed Antiviral Drugs for Covid-19 — Interim WHO Solidarity Trial Results   NEJM</a>	NCT04315948	remdesivir, hydroxychloroquine (HCQ), lopinavir, and interferon beta-1a (IFN)	WHO mortality trial of four repurposed antiviral drugs — remdesivir, hydroxychloroquine (HCQ), lopinavir, and interferon beta-1a (IFN) — in patients hospitalized with Covid-19.
03-Dec-20	NEJM	Durability of Responses after SARS-CoV-2 mRNA1273 Vaccination	Phase I vaccine trial	USA	Widge A.T., et al.	<a href="https://www.thelancet.com/journals/lancet/article/PIIS0140-6736(20)32661-1/fulltext">Durability of Responses after SARS-CoV-2 mRNA: 1273 Vaccination   NEJM</a>	NCT04283461	mRNA 1273 vaccine	mRNA 1273 vaccine immunogenicity 3 months after second vaccination

24-Dec-20	EClinicalMedicine	Safety and immunogenicity of INO-4800 DNA vaccine against SARS-CoV-2. A preliminary report of an open-label, Phase 1 clinical trial	Phase I vaccine trial	USA/UK	Tebas et al.	<a href="https://www.sciencedirect.com/science/article/pii/S2589537020304338">https://www.sciencedirect.com/science/article/pii/S2589537020304338</a>	NCT04336410	INO-4800 DNA vaccine	Safety and immunogenicity of INO-4800 vaccine
17-Dec-20	Nature Med.	Phase 1/2 trial of SARS-CoV-2 vaccine ChAdOx1 nCoV-19 with a booster dose induces multifunctional antibody responses	Phase I/II vaccine trial	UK	Barrett J.R., et al.	<a href="https://www.nature.com/articles/s41591-020-01179-4">https://www.nature.com/articles/s41591-020-01179-4</a>	NCT04400838	ChAdOx1 nCoV-19 vaccine AZD1222	Safety and exploratory humoral and cellular immunogenicity of the AZD1222 vaccine
17-Dec-20	NEJM	REGN-COV2, a Neutralizing Antibody Cocktail, in Outpatients with Covid-19	RCT	USA	Weinreich D.M	<a href="https://www.nature.com/articles/s41591-020-01179-4">https://www.nature.com/articles/s41591-020-01179-4</a>	NCT04425629	REGN-COV2 antibody cocktail	Interim study results: effects of high viral loads with complications and death from coronavirus disease 2019 (Covid-19)-REGN-COV2 effects on outpatients
22-Dec-20	preprint - BMJ	Safety and immunogenicity clinical trial of an inactivated SARS-CoV-2 vaccine, BBV152 (a phase 2, double-blind, randomised controlled trial) and the persistence of immune responses from a phase 1 follow-up report	Phase I/II vaccine trial	India	Raches et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.12.21.20248643v1">https://www.medrxiv.org/content/10.1101/2020.12.21.20248643v1</a>	NCT04471519	inactivated SARS-CoV-2 vaccine, BBV152	To test the immunogenicity and safety of BBV152: 3 µg and 6 µg with Adgel-IMDG.
22-Dec-20	NEJM	A Neutralizing Monoclonal Antibody for Hospitalized Patients with Covid-19	RCT	Denmark	ACTIV-3/TICO LY-CoV555 Study Group	<a href="https://www.nature.com/articles/s41591-020-01179-4">https://www.nature.com/articles/s41591-020-01179-4</a>	NCT04501978	LY-CoV555	To test the effect of this antibody in patients who are hospitalized with Covid-19.
10-Dec-20	NEJM	Efficacy of Tocilizumab in Patients Hospitalized with Covid-19	RCT	USA	Stone J.H., et al	<a href="https://www.nature.com/articles/s41591-020-01179-4">https://www.nature.com/articles/s41591-020-01179-4</a>	NCT04356937	tocilizumab	To test the effect of Tocilizumab on multi-organ dysfunction in a phase 3 randomized controlled trial among hospitalized patients with COVID-19 infection.
14-Dec-20	BMC Infect Dis	Effect of Arbidol (Umifenovir) on COVID-19: a randomized controlled trial.	RCT	Iran	Marzieh et al.	<a href="https://bmcinfectdis.biomedcentral.com/articles/10.1186/s12879-020-05698-w">https://bmcinfectdis.biomedcentral.com/articles/10.1186/s12879-020-05698-w</a>	IRCT20180725040596N2	Arbidol (Umifenovir)	To determine the effect of Arbidol (ARB) on COVID-19 disease.
23-Dec-20	Trials	Interferon β-1a (IFNβ-1a) in COVID-19 patients (INTERCOP): study protocol for a randomized controlled trial.	RCT	Italy	Bosi et al.	<a href="https://trialsjournal.biomedcentral.com/articles/10.1186/s13063-020-04864-4">https://trialsjournal.biomedcentral.com/articles/10.1186/s13063-020-04864-4</a>	EudraCT 2020-002458-25, NCT04449380	interferon β-1a (IFNβ-1a)	To test the efficacy of Interferon-β-1a (IFNβ-1a), in COVID-19 patients in an open label, randomized clinical trial.
10-Dec-20	NEJM	Safety and Efficacy of the BNT162b2 mRNA COVID-19 Vaccine	phase II vaccine trial	USA	Polack F.P., et al.	<a href="https://www.nature.com/articles/s41591-020-01179-4">https://www.nature.com/articles/s41591-020-01179-4</a>	NCT04368728, opens in new Tab	BNT162b2 vaccine	To evaluate the efficacy and safety of BNT162b2 is a lipid nanoparticle-formulated, nucleoside-modified RNA vaccine that encodes a prefusion stabilized, membrane-anchored SARS-CoV-2 full-length spike protein.
18-Dec-20	Journal of Antimicrobial Chemotherapy	Sofosbuvir and daclatasvir for the treatment of COVID-19 outpatients: a double-blind, randomized controlled trial	RCT	Iran	Roozbeh et al.	<a href="https://academic.oup.com/jac/advance-article/doi/10.1093/jac/dkaa501/6041772?login=true">https://academic.oup.com/jac/advance-article/doi/10.1093/jac/dkaa501/6041772?login=true</a>	IRCT20200403046926N1	sofosbuvir, daclatasvir	Is sofosbuvir/daclatasvir effective in COVID-19 patients?
16 November 2020	Critical Care Explorations	Intravenous Immunoglobulin Plus Methylprednisolone Mitigate Respiratory Morbidity in Coronavirus Disease 2019	RCT	USA	George Sakoulas, et al.	<a href="https://journals.lww.com/ccjjournal/Fulltext/2020/11000/Intravenous_Immunoglobulin_Plus_Methylprednisolone.14.aspx">https://journals.lww.com/ccjjournal/Fulltext/2020/11000/Intravenous_Immunoglobulin_Plus_Methylprednisolone.14.aspx</a>	NCT04411667	Immunoglobulins	To assess the efficacy and safety of IV immunoglobulin in hospitalized COVID-19 patients.
23 November 2020	Biological Trace Element Research	Do Zinc Supplements Enhance the Clinical Efficacy of Hydroxychloroquine?: a Randomized, Multicenter Trial	RCT	Egypt	Sherief Abd-Elisamal, et al.	<a href="https://link.springer.com/article/10.1007/s12011-020-02512-1">https://link.springer.com/article/10.1007/s12011-020-02512-1</a>	NCT04447534	Zinc, Hydroxychloroquine	To evaluate the effect of combining chloroquine/hydroxychloroquine and zinc in the treatment of COVID-19 patients.
17-Nov	MedRxiv	Effect of Vitamin D3 Supplementation vs Placebo on Hospital Length of Stay in Patients with Severe COVID-19: A Multicenter, Double-blind, Randomized 3 Controlled Trial	RCT	Brazil	Murai et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.11.16.20232397v1.full.pdf">https://www.medrxiv.org/content/10.1101/2020.11.16.20232397v1.full.pdf</a>	NCT04449718	Vitamin D3	To determine if vitamin D3 supplementation can reduce hospital length of stay in hospitalized patients with severe COVID-19?
23-Nov	MedRxiv	Peginterferon Lambda-1a for treatment of outpatients with uncomplicated COVID-19: a randomized placebo-controlled trial	RCT	USA	Jagannathan et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.11.18.20234161v1.full.pdf">https://www.medrxiv.org/content/10.1101/2020.11.18.20234161v1.full.pdf</a>	NCT04331899	Peginterferon Lambda-1a	To determine whether a single, 180 mcg subcutaneous dose of Peginterferon Lambda-1a (Lambda) could shorten the duration of viral shedding or symptoms in patients with mild to moderate COVID-19.
21-Nov	MedRxiv	Prevention of severe COVID-19 in the elderly by early high-titer plasma	RCT	Argentina	Libster et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.11.20.20234013v1.full.pdf">https://www.medrxiv.org/content/10.1101/2020.11.20.20234013v1.full.pdf</a>	NCT04479163	Convalescent plasma	To evaluate the efficacy of convalescent plasma with high titers of SARS-CoV2 antibody administered within 72 hours of mild symptoms to elderly patients with Covid-19.
02-Dec	MedRxiv	A two-arm, randomized, controlled, multi-centric, open label Phase-2 study to evaluate the efficacy and safety of Itolizumab in moderate to severe ARDS patients due to COVID-19	RCT	India	Kumar et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.12.01.20239574v1.full.pdf">https://www.medrxiv.org/content/10.1101/2020.12.01.20239574v1.full.pdf</a>	CTRI/2020/05/024959	Itolizumab	To estimate the efficacy and safety of Itolizumab in the treatment of cytokine release syndrome in patients with moderate to severe acute respiratory distress syndrome (ARDS) due to COVID-19.
18-Nov	MedRxiv	5-Alpha-Reductase Inhibitors Reduce Remission Time of COVID-19: Results From a Randomized Double Blind Placebo Controlled Interventional Trial in 130 SARS-CoV-2 Positive Men	RCT	Brazil, USA	Cadegiani et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.11.16.20232512v1.full.pdf">https://www.medrxiv.org/content/10.1101/2020.11.16.20232512v1.full.pdf</a>	NCT04446429	Dutasteride	To determine if 5-alpha-reductase inhibitors (5ARIs) are a beneficial treatment for COVID-19 if given after SARS-CoV-2 infection.
11-Nov	International Immunopharmacology	Pentoxifylline decreases serum LDH levels and increases lymphocyte count in COVID-19 patients: Results from an external pilot study	RCT	Mexico	Maldonado et al.	<a href="https://reader.elsevier.com/reader/sd/pii/S1567576920336766?token=E55AFFA9EE8F0CD28010BE3E0ACDCE9F90237E4EF73330CF63D0FDA8F33F2F0AD9CA7536BD33F">https://reader.elsevier.com/reader/sd/pii/S1567576920336766?token=E55AFFA9EE8F0CD28010BE3E0ACDCE9F90237E4EF73330CF63D0FDA8F33F2F0AD9CA7536BD33F</a>	COF-002495	Pentoxifylline	To test the effect Pentoxifylline (PTX) on parameters such as LDH, lymphocyte count, days of hospitalization, mortality, and the need for intubation on patients with severe and moderate COVID-19.
02-Dec-20	NEJM	Repurposed Antiviral Drugs for Covid-19 — Interim WHO Solidarity Trial Results	RCT	Multinational	WHO Solidarity Trial Consortium	<a href="https://www.nejm.org/doi/10.1056/NEJMoa2023184">https://www.nejm.org/doi/10.1056/NEJMoa2023184</a>	ISRCTN83971151, NCT04315948	hydroxychloroquine, lopinavir/ritonavir, interferon beta1, remdesivir	effects of drugs on in-hospital mortality
24-Nov-20	NEJM	A Cluster-Randomized Trial of Hydroxychloroquine for Prevention of Covid-19	RCT	Spain	Mitjà et al.	<a href="https://www.nejm.org/doi/10.1056/NEJMoa2021801">https://www.nejm.org/doi/10.1056/NEJMoa2021801</a>	NCT04304053	Hydroxychloroquine	Does postexposure prophylaxis with hydroxychloroquine prevent SARS-CoV-2 infection?
24-Nov-20	NEJM	A Randomized Trial of Convalescent Plasma in Covid-19 Severe Pneumonia	RCT	Argentina	Simonovich et al.	<a href="https://www.nejm.org/doi/10.1056/NEJMoa2031304">https://www.nejm.org/doi/10.1056/NEJMoa2031304</a>	NCT04383535	Convalescent plasma	Is treatment with convalescent plasma associated with improved clinical outcomes in COVID-19 patients?
19-Nov-20	The Lancet	Safety and immunogenicity of ChAdOx1 nCoV-19 vaccine administered in a prime-boost regimen in young and old adults (COV002): a single-blind, randomised, controlled, phase 2/3 trial	phase II/III vaccine trial	UK	Ramasamy et al.	<a href="https://www.sciencedirect.com/science/article/pii/S0140673620324661?via%3DIihub">https://www.sciencedirect.com/science/article/pii/S0140673620324661?via%3DIihub</a>	NCT04400838, ISRCTN 15281137	ChAdOx1 vaccine	Safety and immunogenicity of ChAdOx1 vaccine in young and old adults
18-Nov-20	Lancet Infect. Dis.	Safety, tolerability, and immunogenicity of an inactivated SARS-CoV-2 vaccine in healthy adults aged 18–59 years: a randomised, double-blind, placebo-controlled, phase 1/2 clinical trial.	I/II vaccine trial	China	Zhang et al.	<a href="https://www.sciencedirect.com/science/article/pii/S1473309920308437?via%3DIihub">https://www.sciencedirect.com/science/article/pii/S1473309920308437?via%3DIihub</a>	NCT04352608	CoronaVac vaccine	Safety, tolerability and immunogenicity of CoronaVac vaccine
04-Nov	MedRxiv	Randomized controlled trial of convalescent plasma therapy against standard therapy in 2 patients with severe COVID-19 disease	RCT	Bahrain, Ireland	Al Qahtani et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.11.02.20224303v1.full.pdf">https://www.medrxiv.org/content/10.1101/2020.11.02.20224303v1.full.pdf</a>	NCT04356534	Convalescent plasma	Pilot study designed to inform the design of a definitive phase 3 clinical trial.
12/11/2020	MedRxiv	Peginterferon-lambda for the treatment of COVID-19 in outpatients	RCT	Canada	Feld et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.11.09.20228098v1.full.pdf">https://www.medrxiv.org/content/10.1101/2020.11.09.20228098v1.full.pdf</a>	NCT04354259	Peginterferon	To evaluate a single subcutaneous injection of peginterferon-lambda in outpatients with COVID-19.

13-Nov	International Immunopharmacology	Evaluating the effects of Intravenous Immunoglobulin (IVIg) on the management of severe COVID-19 cases: A randomized controlled trial	RCT	Iran	Tabarsi et al.	<a href="https://reader.elsevier.com/reader/sd/pii/S1567576920336729?token=13C23CAB7F2F5122936F6967643CEC50F680C6C1860029881211225F0DFEC4733E630469CDAF7A7C229585B41FD1EE">https://reader.elsevier.com/reader/sd/pii/S1567576920336729?token=13C23CAB7F2F5122936F6967643CEC50F680C6C1860029881211225F0DFEC4733E630469CDAF7A7C229585B41FD1EE</a>	IRCT20151227025726N20	Intravenous Immunoglobulin	To investigate the potential usefulness of IVIg for the management of severe cases of Covid-19.
9 November 2020 (preprint)	International Journal of Infectious Diseases	Randomized Controlled Open Label Trial on the Use of Favipiravir Combined with Inhaled Interferon beta-1b in Hospitalized Patients with Moderate to Severe COVID-19 Pneumonia	RCT	Oman	Faryal Khamis, et al.	<a href="https://www.sciencedirect.com/science/article/pii/S1201971220323195?via%3DIihub">https://www.sciencedirect.com/science/article/pii/S1201971220323195?via%3DIihub</a>	NA	Favipiravir, interferon beta-1b	To evaluate the therapeutic effectiveness of favipiravir combined with inhaled interferon beta-1b in adult patients hospitalized with moderate to severe COVID-19 pneumonia.
Preprint	Clinical Infectious Diseases	Randomized, double-blinded and placebo-controlled phase II trial of an inactivated SARS-CoV-2 vaccine in healthy adults	Phase 2 vaccine trial	China	Yanchun Che, et al.	<a href="https://academic.oup.com/cid/advance-article/doi/10.1093/cid/cia1703/5962856">https://academic.oup.com/cid/advance-article/doi/10.1093/cid/cia1703/5962856</a>	NCT04412538	Inactivated vaccine	Assess the safety and immunogenicity of this inactivated vaccine
6 November 2020 (in press)	International Journal of Antimicrobial Agents	Post-exposure prophylaxis with hydroxychloroquine for the prevention of COVID-19, a myth or a reality? The PEP-CQ Study	RCT	India	Deba Prasad Dhibar, et al.	<a href="https://www.sciencedirect.com/science/article/pii/S0924857920304350?via%3DIihub">https://www.sciencedirect.com/science/article/pii/S0924857920304350?via%3DIihub</a>	NCT04408456	Hydroxychloroquine	To evaluate the efficacy of PEP with HCQ for the prevention of COVID-19 in asymptomatic non-HCW individuals who were at risk for SARS-CoV-2 infection
Preprint	MedRxiv	Phase 1 trial of a Candidate Recombinant Virus-Like Particle Vaccine for Covid-19 Disease Produced in Plants	Phase 1 vaccine Trial	Canada	Brian J Ward, et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.11.04.20226282v1">https://www.medrxiv.org/content/10.1101/2020.11.04.20226282v1</a>	NCT04450004	CoVLP vaccine	To assess the safety, tolerability, and immunogenicity of CoVLP at three dose levels unadjuvanted or adjuvanted with either CpG 1018 or AS03 in healthy adults 18 to 55 years of age.
27 October 2020	E-Clinical Medicine (Lancet)	An open-label, randomized trial of the combination of IFN- $\kappa$ plus TFF2 with standard care in the treatment of patients with moderate COVID-19	RCT	China	Weihui Fu, et al.	<a href="https://www.sciencedirect.com/science/article/pii/S2589537020302911?via%3DIihub">https://www.sciencedirect.com/science/article/pii/S2589537020302911?via%3DIihub</a>	ChiCTR2000030262	IFN- $\kappa$ plus TFF2	To evaluate the efficacy and safety in patients with moderate COVID-19 of the combination of IFN- $\kappa$ plus TFF2
12-Nov-20	The Lancet Respiratory Medicine	Safety and efficacy of inhaled nebulised interferon beta 1a (SNG001) for treatment of SARS-CoV-2 infection: a randomised, double-blind, placebo-controlled, phase 2 trial	RCT	UK	Monk et al.	<a href="https://www.thelancet.com/journals/lanres/article/PIIS2213-2600(20)30511-7/fulltext">https://www.thelancet.com/journals/lanres/article/PIIS2213-2600(20)30511-7/fulltext</a>	2020-001023-14, NCT04385095	INF-beta 1a	Efficacy and safety of inhaled nebulised interferon beta-1a
12-Nov-20	JAMA	Fluvoxamine vs Placebo and Clinical Deterioration in Outpatients With Symptomatic COVID-19A Randomized Clinical Trial	RCT	USA	Lenze et al.	<a href="https://jamanetwork.com/journals/jama/article-abstract/2773108">https://jamanetwork.com/journals/jama/article-abstract/2773108</a>	NCT04342663	Fluvoxamine	Determine whether fluvoxamine, given during mild COVID-19 illness, prevents clinical deterioration and decreases the severity of disease
Preprint	The Lancet	Antiviral effect of high-dose ivermectin in adults with COVID-19: a pilot randomised, controlled, open label, multicentre trial	RCT	Argentina	Krolewiecki et al.	<a href="https://papers.ssrn.com/sol3/papers.cfm?abstract_id=3714649">https://papers.ssrn.com/sol3/papers.cfm?abstract_id=3714649</a>	NCT004381884	Ivermectin	Does ivermectin reduce the viral load?
27-Oct	MedRxiv	Efficacy of Convalescent Plasma Therapy compared to Fresh Frozen Plasma in Severely Ill COVID-19 Patients: A Pilot Randomized Controlled Trial.	RCT	India	Bajpai et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.10.25.20219337v1.full.pdf">https://www.medrxiv.org/content/10.1101/2020.10.25.20219337v1.full.pdf</a>	NCT04346446	Convalescent plasma	To compare the efficacy and safety of convalescent plasma with fresh frozen plasma (FFP) in severe COVID-19 patients
21-Oct	MedRxiv	A placebo-controlled double blind trial of hydroxychloroquine in mild-to-moderate COVID-19	RCT	France	Dubée et al. for the HYCOVID study group	<a href="https://www.medrxiv.org/content/10.1101/2020.10.19.20214940v1.full.pdf">https://www.medrxiv.org/content/10.1101/2020.10.19.20214940v1.full.pdf</a>	NCT04325893	Hydroxychloroquine	To evaluate the efficacy and safety of hydroxychloroquine in adult patients with mild-to-moderate COVID-19 at risk of worsening.
23-Oct	MedRxiv	Early use of nitazoxanide in mild Covid-19 disease: randomized, placebo controlled trial	RCT	Brazil	Rocco et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.10.21.20217208v1.full.pdf">https://www.medrxiv.org/content/10.1101/2020.10.21.20217208v1.full.pdf</a>	NCT04552483	Nitazoxanide	To evaluate whether early nitazoxanide therapy would be effective in accelerating symptom resolution in patients with mild COVID-19.
27-Oct	MedRxiv	Controlled randomized clinical trial on Ivermectin with Doxycycline for treating COVID-19 patients in Baghdad, Iraq	RCT	Iraq	Hashim et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.10.26.20219345v1.full.pdf">https://www.medrxiv.org/content/10.1101/2020.10.26.20219345v1.full.pdf</a>	NCT04591600	Ivermectin + Doxycycline	To test the combinational therapy of Ivermectin and Doxycycline in treating COVID-19 patients at different stages of the disease.
21-Oct	MedRxiv	Treatment with human umbilical cord-derived mesenchymal stem cells for COVID-19 patients with lung damage: a randomised, double-blind, placebo-controlled phase 2 trial	RCT	China	Shi et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.10.15.20213553v2.full.pdf">https://www.medrxiv.org/content/10.1101/2020.10.15.20213553v2.full.pdf</a>	NCT04288102	human umbilical cord-derived mesenchymal stem cells	To assess the efficacy and safety of human umbilical cord-mesenchymal stem cells (UC-MSCs) to treat severe COVID-19 patients with lung damage.
26-Oct	Lancet pre-print	Umbilical Cord Mesenchymal Stem Cells for COVID-19 ARDS: A Double Blind, Phase 1/2a, Randomized Controlled Trial	RCT	USA	Lanzoni et al.	<a href="https://papers.ssrn.com/sol3/papers.cfm?abstract_id=3696875">https://papers.ssrn.com/sol3/papers.cfm?abstract_id=3696875</a>	NCT04355728	human umbilical cord-derived mesenchymal stem cells	To determine safety and explore efficacy of Umbilical Cord (UC)-MSC infusions in COVID-19 ARDS.
01-Nov	J Antimicrob Chemother	Sofosbuvir/daclatasvir regimens for the treatment of COVID-19: an individual patient data meta-analysis	Meta-analysis	UK/Iran	Simmons et al.	<a href="https://academic.oup.com/jac/advance-article/doi/10.1093/jac/dkaa418/5924537">https://academic.oup.com/jac/advance-article/doi/10.1093/jac/dkaa418/5924537</a>	N/A	sofosbuvir/daclatasvir	To determine whether sofosbuvir/daclatasvir-based regimens improve clinical outcomes of patients with moderate or severe COVID-19.
26-Oct	Lancet pre-print	Phase 3 Trial of Coronavir (Favipiravir) in Patients with Mild to Moderate COVID-19	RCT	Russia	Ruzhentsova et al.	<a href="https://papers.ssrn.com/sol3/papers.cfm?abstract_id=3696907">https://papers.ssrn.com/sol3/papers.cfm?abstract_id=3696907</a>	NCT04501783	Favipiravir	To evaluate the efficacy and safety of Favipiravir for treatment of mild to moderate COVID-19
01-Nov-20	Immunopathology and infectious diseases	Treatment of Coronavirus Disease 2019 Patients with Convalescent Plasma Reveals a Signal of Significantly Decreased Mortality	RCT	USA	Salazar et al.	<a href="https://www.sciencedirect.com/science/article/pii/S0002944020303709?via%3DIihub">https://www.sciencedirect.com/science/article/pii/S0002944020303709?via%3DIihub</a>	NCT04591600	Convalescent plasma	Efficacy of COVID-19 convalescent plasma transfusion for severe and/or critical COVID-19.
21-Oct-20	NEJM	Efficacy of Tocilizumab in Patients Hospitalized with Covid-19	RCT	USA	Stone et al.	<a href="https://www.nejm.org/doi/pdf/10.1056/NEJMoa2028836">https://www.nejm.org/doi/pdf/10.1056/NEJMoa2028836</a>	NCT04356937	Tocilizumab	Does tocilizumab prevent intubation or death?
20-Oct-20	JAMA Internal Medicine	Effect of Tocilizumab vs Usual Care in Adults Hospitalized With COVID-19 and Moderate or Severe Pneumonia: A Randomized Clinical Trial	RCT	France	Hermine et al.	<a href="https://jamanetwork.com/journals/jamainternalmedicine/fullarticle/2772187">https://jamanetwork.com/journals/jamainternalmedicine/fullarticle/2772187</a>	NCT04331808	Tocilizumab	To determine whether tocilizumab (TCZ) improves outcomes of patients hospitalized with moderate-to-severe COVID-19 pneumonia
20-Oct-20	JAMA Internal Medicine	Effect of Tocilizumab vs Standard Care on Clinical Worsening in Patients Hospitalized With COVID-19 PneumoniaA Randomized Clinical Trial	RCT	Italy	Salvarani et al.	<a href="https://jamanetwork.com/journals/jamainternalmedicine/fullarticle/2772186">https://jamanetwork.com/journals/jamainternalmedicine/fullarticle/2772186</a>	NCT04346355; EudraCT Identifier: 2020-001386-37.	Tocilizumab	To evaluate the effect of early tocilizumab administration
01-Oct-20	International Journal of Research in Pharmaceutical Sciences	Efficacy of umifenovir in the treatment of mild and moderate covid-19 patients	Randomized clinical study	Kyrgyzstan	Yethindra et al.	<a href="https://pharmascope.org/https://article/view/283976116">https://pharmascope.org/https://article/view/283976116</a>	NA	Umifenovir	To evaluate the efficacy of umifenovir in mild and moderate COVID-19 patients
8 October 2020	NEJM	Remdesivir for the Treatment of COVID-19 — Final Report	RCT	USA	John H. Beigel, et al.	<a href="https://www.nejm.org/doi/10.1056/NEJMoa2007764">https://www.nejm.org/doi/10.1056/NEJMoa2007764</a>	NCT04280705	Remdesivir	To evaluate the efficacy of remdesivir in shortening time to recovery in hospitalized COVID-19 patients.
15 October 2020	Lancet	Safety and immunogenicity of an inactivated SARS-CoV-2 vaccine, BBIP-CorV: a randomised, double-blind, placebo-controlled, phase 1/2 trial	Phase 1/2 vaccine trial	China	Shengli Xia, et al.	<a href="https://www.sciencedirect.com/science/article/pii/S1473309920308318?via%3DIihub">https://www.sciencedirect.com/science/article/pii/S1473309920308318?via%3DIihub</a>	ChiCTR2000032459.	BBIP-CorV	To assess the safety and immunogenicity of an inactivated SARS CoV2 vaccine
15 October 2020	MedRIV	Repurposed antiviral drugs for COVID-19 —Interim WHO SOLIDARITY trial results	RCT	International	Hongchao Pan, et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.10.15.20209817v1">https://www.medrxiv.org/content/10.1101/2020.10.15.20209817v1</a>	ISRCTN83971151	Lopinavir/ritonavir, remdesivir, hydroxychloroquine, interferon	Are repurposed antiviral drugs effective in treating COVID-19?
28 October 2020	NEJM	SARS-CoV-2 Neutralizing Antibody LY-CoV555 in Outpatients with Covid-19	Phase 2 RCT	USA	Peter Chen, et al.	<a href="https://www.nejm.org/doi/10.1056/NEJMoa202849">https://www.nejm.org/doi/10.1056/NEJMoa202849</a>	NCT04427501	Monoclonal antibody, LY-CoV555	To assess the safety and dose response through reduction of viral load of monoclonal antibody LY-CoV555 in patients with mild or moderate COVID-19
21 October 2020	Lancet preprint	Self-Proning in COVID-19 Patients on Low-Flow Oxygen Therapy: A Cluster Randomised Controlled Trial	RCT	Switzerland	Aleen Kharat, et al.	<a href="https://papers.ssrn.com/sol3/papers.cfm?abstract_id=3692538">https://papers.ssrn.com/sol3/papers.cfm?abstract_id=3692538</a>	SNCTP000003718	Self-proning	To assess if a simple incentive to self-prone for a maximum of 12 h per day would decrease oxygen needs in patients admitted for COVID-19 pneumonia on low-flow oxygen therapy



11 September 2020	International Forum of Allergy and Rhinology	Interim analysis of an open-label randomized controlled trial evaluating nasal irrigations in non-hospitalized patients with coronavirus disease 2019	RCT	USA	Kyle S. Kimura, et al.	<a href="https://onlinelibrary.wiley.com/doi/10.1002/all.22702">https://onlinelibrary.wiley.com/doi/10.1002/all.22702</a>	NA	Nasal irrigations	To assess if nasal irrigation can reduce symptoms and viral shedding in mild and moderate COVID-19 patients
Preprint	MedRxiv	Tocilizumab in nonventilated patients hospitalized with Covid-19 pneumonia	RCT	USA	Carlos Salama, et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.10.21.20110203v1">https://www.medrxiv.org/content/10.1101/2020.10.21.20110203v1</a>	NCT04372186	Tocilizumab	To assess the safety and efficacy of tocilizumab in patients hospitalized and non-ventilated with Covid-19 pneumonia
21 October 2020	BMC Infectious Diseases	The use of intravenous immunoglobulin gamma for the treatment of severe coronavirus disease 2019: a randomized placebo-controlled double-blind clinical trial	RCT	Iran	Naser Gharebaghi, et al.	<a href="https://bmcinfectiousdiseases.biomedcentral.com/articles/10.1186/s12879-020-09507-4">https://bmcinfectiousdiseases.biomedcentral.com/articles/10.1186/s12879-020-09507-4</a>	IRCT2020051047259N1	Immunoglobulin gamma	To evaluate the efficacy of intravenous immunoglobulin (Ivlg) in patients with severe COVID-19 infection.
28 September 2020	Lancet	Anti-C5a antibody IFX-1 (vibrelimab) treatment versus best supportive care for patients with severe COVID-19 (PANAMO): an exploratory, open-label, phase 2 randomised controlled trial	RCT	Netherlands	Alexander P J Vlaar, et al.	<a href="https://www.thelancet.com/action/showPdf?pii=S2665-9913%2820%2930341-6">https://www.thelancet.com/action/showPdf?pii=S2665-9913%2820%2930341-6</a>	NCT04333420	Vibrelimab	Phase 2 study to explore the potential benefit and safety of IFX-1 (vibrelimab) in patients with severe COVID-19.
29 September 2020	NEJM	Safety and Immunogenicity of SARS-CoV-2 mRNA-1273 Vaccine in Older Adults	Vaccine trial Phase 1	USA	Evan J. Anderson, et al.	<a href="https://www.nejm.org/doi/full/10.1056/NEJMoa2028436">https://www.nejm.org/doi/full/10.1056/NEJMoa2028436</a>	NCT04283461	mRNA-1273 vaccine	Is the SARS-CoV-2 mRNA 1273 safe and well tolerated in older adults and does it elicit an immune response?
30 September 2020 - pre-approved	Nature	COVID-19 vaccine BNT162b1 elicits human antibody and TH1 T-cell responses	Vaccine trial Phase 1 and 2	Germany	Ugur Sahin, et al.	<a href="https://www.nature.com/articles/s41586-020-2814-7">https://www.nature.com/articles/s41586-020-2814-7</a>	NCT04380701	BNT162b1 vaccine	Does the BNT162b1 vaccine elicit both antibody and T-cell response in healthy adults?
Preprint	Research Square	Engineered interferon alpha effectively improves clinical outcomes of COVID-19 patients	RCT	China	Chuan Li, et al.	<a href="https://assess.researchsquare.com/files/rs-65224/v1/22886bf0-ce06-4d42-aeb6-c73eb67c2003.pdf">https://assess.researchsquare.com/files/rs-65224/v1/22886bf0-ce06-4d42-aeb6-c73eb67c2003.pdf</a>	ChiCTR2000029638	Engineered interferon alpha	To evaluate the efficacy and safety of recombinant super-compound interferon versus traditional interferon alpha in patients with moderate to severe COVID-19
24 August 2020	International Immunopharmacology	Interferon-β-1b in treatment of severe COVID-19: A randomized clinical trial	RCT	Iran	Hamid Rahmani, et al.	<a href="https://www.sciencedirect.com/science/article/pii/S1567576920323304?via%3DIihub">https://www.sciencedirect.com/science/article/pii/S1567576920323304?via%3DIihub</a>	IRCT20100228003449N27	Interferon β-1b	To evaluate the efficacy and safety of interferon (IFN) β-1b in the treatment of patients with severe COVID-19
30 September 2020	JAMA	Efficacy and Safety of Hydroxychloroquine vs Placebo for Pre-exposure SARS-CoV-2 Prophylaxis Among Health Care Workers	RCT	USA	Benjamin S Abella, et al.	<a href="https://jamanetwork.com/journals/jamainternalmedicine/fullarticle/2771265">https://jamanetwork.com/journals/jamainternalmedicine/fullarticle/2771265</a>	NCT04329923	Hydroxychloroquine	To evaluate the efficacy of hydroxychloroquine to prevent transmission of SARS-CoV-2 in hospital-based HCWs with exposure to patients with COVID-19 using a pre-exposure prophylaxis strategy
4 September 2020	BMJ	Drug treatments for covid-19: living systematic review and network meta-analysis	Systematic review	International collaboration	Reed A Siemieniuk, et al.	<a href="https://www.bmj.com/content/370/bmj.m2980">https://www.bmj.com/content/370/bmj.m2980</a>	NA	All treatments	To compare the effects of treatments for coronavirus disease 2019 (covid-19).
15-Oct	Virus Research	Effect of remdesivir on patients with COVID-19: A network meta-analysis of randomized control trials	Meta-analysis	USA, Japan	Yokoyama et al.	<a href="https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7437510/pdf/main.pdf">https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7437510/pdf/main.pdf</a>	N/A	Remdesivir	To compare the rate of clinical improvement among patients with COVID-19 who received 5-day course of remdesivir versus 10-day course of remdesivir versus standard care.
06-Sep	MedRxiv	An in-depth investigation of the safety and immunogenicity of an inactivated 2 SARS-CoV-2 vaccine	Phase 1 RCT	China	Pu et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.09.27.20189548v1.full.pdf">https://www.medrxiv.org/content/10.1101/2020.09.27.20189548v1.full.pdf</a>	NCT04412538	Vaccine	To investigate the safety and immunogenicity of an inactivated viral vaccine in immunized individuals in a phase I trial, especially focusing on safety with regard to the immunopathology of the vaccine.
11-Oct	MedRxiv	Clearing the fog: Is Hydroxychloroquine effective in reducing Corona virus disease-2019 progression: A randomized controlled trial	RCT	Pakistan	Mehmood Kamran et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.07.30.20165365v2.full.pdf">https://www.medrxiv.org/content/10.1101/2020.07.30.20165365v2.full.pdf</a>	NCT04491994	Hydroxychloroquine	To assess the efficacy of HCQ in reducing disease progression in mild COVID-19
05-Oct-20	The Lancet	Lopinavir–ritonavir in patients admitted to hospital with COVID-19 (RECOVERY): a randomised, controlled, open-label, platform trial	RCT	UK	Horby et al. (RECOVERY GROUP)	<a href="https://www.thelancet.com/action/showPdf?pii=S0140-6736%2820%2932013-4">https://www.thelancet.com/action/showPdf?pii=S0140-6736%2820%2932013-4</a>	ISRCTN 50189673, NCT04381936	lopinavir/ritonavir	Whether lopinavir–ritonavir improves outcomes in patients admitted to hospital with COVID-19
20-Sep-20	EClinicalMedicine	An open-label, randomized trial of the combination of IFN-kappa plus TFF2 with standard care in the treatment of patients with moderate COVID-19	RCT	China	Fu et al.	<a href="https://www.sciencedirect.com/science/article/pii/S2589537020302911?via%3DIihub">https://www.sciencedirect.com/science/article/pii/S2589537020302911?via%3DIihub</a>	ChiCTR2000030262	IFN-κ, TFF2	Efficacy and safety of IFN-κ and TFF2 in COVID patients.
25-Sep	MedRxiv	Safety and immunogenicity of the Ad26.COV2.S COVID-19 vaccine candidate: interim results of a phase 1/2a, double-blind, randomized, placebo-controlled trial	Phase 1/2a RCT	Netherlands, Belgium, USA	Sadoff et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.09.23.20199604v1.full.pdf">https://www.medrxiv.org/content/10.1101/2020.09.23.20199604v1.full.pdf</a>	NCT04436276	Vaccine: non-replicating adenovirus 26 based vector expressing the stabilized pre-fusion spike protein of SARS-CoV-2	To evaluate the efficacy of a single vaccination of 5x10 <sup>10</sup> vp of Ad26.COV2.S
21-Sep	MedRxiv	Hydroxychloroquine as pre-exposure prophylaxis for COVID-19 in healthcare workers: a randomized trial	RCT	USA	Rajasingham et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.09.18.20197327v1.full.pdf">https://www.medrxiv.org/content/10.1101/2020.09.18.20197327v1.full.pdf</a>	NCT04328467	Hydroxychloroquine	To determine the effectiveness of hydroxychloroquine as pre-exposure prophylaxis in healthcare workers at high-risk of SARS-CoV-2 exposure
22-Sep	MedRxiv	Treatment with an Anti-CK2 Synthetic Peptide Improves Clinical 3 Response in Covid-19 Patients with Pneumonia. A Randomized and 4 Controlled Clinical Trial	RCT	Cuba	Cruz et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.09.03.20187112v2.full.pdf">https://www.medrxiv.org/content/10.1101/2020.09.03.20187112v2.full.pdf</a>	IG/CIGB300/CV/2001, ATENEA-Co-300 trial	Anti-CK2 Synthetic Peptide, CIGB-325	To explore safety and efficacy of CIGB-325, an anti-CK2 peptide, in COVID-19 patients
15-Oct	Virus Research	Effect of remdesivir on patients with COVID-19: A network meta-analysis of randomized control trials	Meta-analysis	USA, Japan	Yujiro Yokoyama et al.	<a href="https://www.sciencedirect.com/science/article/pii/S0168170220310443?via%3DIihub">https://www.sciencedirect.com/science/article/pii/S0168170220310443?via%3DIihub</a>	N/A	Remdesivir	To compare the rate of clinical improvement among patients with COVID-19 who received 5-day course of remdesivir versus 10-day course of remdesivir versus standard care.
24 July 2020	Clinical Infectious Diseases	Remdesivir for Severe COVID-19 versus a Cohort Receiving Standard of Care	RCT vs cohort	USA	Susan A. Olander, et al.	<a href="https://academic.oup.com/cid/advance-article/doi/10.1093/cid/ciaa1041/5876045">https://academic.oup.com/cid/advance-article/doi/10.1093/cid/ciaa1041/5876045</a>	NCT04292899 and EUPAS34303	Remdesivir	Efficacy of remdesivir in COVID19 patients
17 November 2020	Antimicrobial Agents Chemotherapy	A prospective, randomized, open-label trial of early versus late favipiravir in hospitalized patients with COVID-19	RCT	Japan	Yohei Doi, et al.	<a href="https://aac.asm.org/content/early/2020/09/16/AAC.01897-20">https://aac.asm.org/content/early/2020/09/16/AAC.01897-20</a>	JRCT041190120	Favipiravir	Assess the efficacy of favipiravir in asymptomatic or mild COVID19 patients in viral clearance, and resolution of symptoms
24-Sep	Virology Journal	Favipiravir versus other antiviral or standard of care for COVID-19 treatment: a rapid systematic review and meta-analysis	Systematic review & meta-analysis	Nepal	Dhan Bahadur Shrestha et al.	<a href="https://virology.biomedcentral.com/articles/10.1186/s12985-020-01412-z">https://virology.biomedcentral.com/articles/10.1186/s12985-020-01412-z</a>	N/A	Favipiravir	To evaluate the efficacy and safety of the drug Favipiravir as a treatment for COVID-19.
20 September 2020	Thrombosis Research	Therapeutic versus prophylactic anticoagulation for severe COVID-19: A randomized phase II clinical trial (HESACOVID)	RCT	Brazil	Anna Cristina Bertoldi Lemos, et al.	<a href="https://www.thrombosisresearch.com/article/S0049-3848(20)30530-2/fulltext#%20">https://www.thrombosisresearch.com/article/S0049-3848(20)30530-2/fulltext#%20</a>	REBEC RBR-949z6v	Enoxaparin, anticoagulants	To compare therapeutic enoxaparin treatment to standard prophylactic anticoagulant treatment in severe COVID19
Preprint	Clinical Infectious Diseases	Treatment of COVID-19 Patients with Prolonged Post-Symptomatic Viral Shedding with Leflunomide -- a Single-Center, Randomized, Controlled Clinical Trial	RCT	China	Wang, et al.	<a href="https://academic.oup.com/cid/advance-article/doi/10.1093/cid/ciaa1417/5909448">https://academic.oup.com/cid/advance-article/doi/10.1093/cid/ciaa1417/5909448</a>	ChiCTR 2000030058	Leflunomide	To evaluate the efficacy and safety of leflunomide to treat COVID-19 patients with prolonged post-symptomatic viral shedding.
26 August 2020	Clinical Microbiology and Infection	Effect of hydroxychloroquine with or without azithromycin on the mortality of coronavirus disease 2019 (COVID-19) patients: a systematic review and meta-analysis	Systematic Review and Meta-analysis	France, Switzerland	Thibault Fiolet, et al.	<a href="https://www.clinicalmicrobiologyandinfection.com/article/S1198-743X(20)30505-X/fulltext">https://www.clinicalmicrobiologyandinfection.com/article/S1198-743X(20)30505-X/fulltext</a>	NA	Chloroquine, hydroxychloroquine, azithromycin	To assess the effect of chloroquine and hydroxychloroquine with or without azithromycin on the mortality of COVID-19 patients
Preprint	MedRxiv	Efficacy of commercial mouth-rinses on SARS-CoV-2 viral load in saliva: Randomized Control Trial in Singapore	RCT	Singapore	Chaminda Jayawpath Seneviratne, et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.09.14.20186494v1">https://www.medrxiv.org/content/10.1101/2020.09.14.20186494v1</a>	NA	Mouth wash	To evaluate and compare different commercial mouthwash solutions and their effect on reducing salivary viral load
Preprint	MedRxiv	Early Anti-SARS-CoV-2 Convalescent Plasma in Patients Admitted for COVID-19: A Randomized Phase II Clinical Trial	RCT	Chile	María Elvira Balcells, et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.09.17.20196212v1">https://www.medrxiv.org/content/10.1101/2020.09.17.20196212v1</a>	NCT04375098	Convalescent Plasma	Evaluate the safety and efficacy of convalescent plasma and compare an early vs deferred treatment strategy

19 July 2020	Bioimpacts	Effect of bromhexine on clinical outcomes and mortality in COVID-19 patients: A randomized clinical trial	RCT	Iran	<a href="#">Khalil Ansarin</a>	<a href="https://bi.tbzmed.ac.ir/article/bi-23240">https://bi.tbzmed.ac.ir/article/bi-23240</a>	IRCT202003117046797N4	Bromhexine	Evaluate the efficacy of bromhexine in intensive care unit (ICU) admission, mechanical ventilation, and mortality in patients with COVID-19.
12-Sep-20	Expert Review of Anti-Infective Therapy	The effect of antivirals on COVID-19: a systematic review	Systematic review	Hussain et al.	<a href="#">UK</a>	<a href="https://www.tandfonline.com/doi/abs/10.1080/14787210.2021.1823832?journalCode=ierz20">https://www.tandfonline.com/doi/abs/10.1080/14787210.2021.1823832?journalCode=ierz20</a>	NA	Antivirals	Identify studies pertaining to antivirals in COVID-19 patients and review the clinical outcomes
23 September 2020	Clinical Infectious Diseases	Double-blind, randomized, placebo-controlled trial with N-acetylcysteine for treatment of severe acute respiratory syndrome caused by COVID-19	RCT	Brazil	<a href="#">Julio Cesar Garcia de Alencar, et al.</a>	<a href="https://academic.oup.com/cid/advance-article/doi/10.1093/cid/ciaa1443/5910353">https://academic.oup.com/cid/advance-article/doi/10.1093/cid/ciaa1443/5910353</a>			To determine whether NAC in high doses can avoid respiratory failure in patients with Covid-19.
17-Sep-20	European Respiratory Journal	Intravenous methylprednisolone pulse as a treatment for hospitalised severe COVID-19 patients: results from a randomised controlled clinical trial	RCT	Iran	<a href="#">Edalatfard et al.</a>	<a href="https://erj.ersjournals.com/content/early/2020/09/09/13993003.02808-2020">https://erj.ersjournals.com/content/early/2020/09/09/13993003.02808-2020</a>	IRCT20200404046947N1	Methylprednisolone	Is methylprednisolone effective in treatment of COVID-19 patients?
17-Sep-20	Plos Medicine	Interventions for treatment of COVID-19: A living systematic review with meta-analyses and trial sequential analyses (The LIVING Project)	Meta-analysis	Denmark	<a href="#">Jul et al.</a>	<a href="https://journals.plos.org/plosmedicine/article?id=10.1371/journal.pmed.1003293">https://journals.plos.org/plosmedicine/article?id=10.1371/journal.pmed.1003293</a>	NA	NA	Effects of all treatment interventions for COVID-19
04-Sep-20	The Lancet	Safety and immunogenicity of an rAd26 and rAd5 vector-based heterologous prime-boost COVID-19 vaccine in two formulations: two open, non-randomised phase 1/2 studies from Russia	CT	Russia	<a href="#">Logunov et al.</a>	<a href="https://www.sciencedirect.com/science/article/pii/S0140673620318663?via%3DIihub">https://www.sciencedirect.com/science/article/pii/S0140673620318663?via%3DIihub</a>	NCT04436471 and NCT04437875	vaccine	Safety and immunogenicity of two formulations (frozen and lyophilised) of vaccine
01-Oct-20	International Journal of Antimicrobial Agents	Safety and effectiveness of azithromycin in patients with COVID-19: An open-label randomised trial	RCT	Iran	<a href="#">Sekhavi et al.</a>	<a href="https://www.sciencedirect.com/science/article/pii/S0924857920303411?via%3DIihub">https://www.sciencedirect.com/science/article/pii/S0924857920303411?via%3DIihub</a>	NA	azithromycine	Can therapy with HCQ+AZM reduce the hospital length of stay in COVID-19 patients?
10-Sep-20	JAMA	Effect of Recombinant Human Granulocyte Colony-Stimulating Factor for Patients With Coronavirus Disease 2019 (COVID-19) and Lymphopenia: A Randomized Clinical Trial	RCT	China	<a href="#">Cheng et al.</a>	<a href="https://jamanetwork.com/journals/jama/internalmedicine/fullarticle/2770680">https://jamanetwork.com/journals/jama/internalmedicine/fullarticle/2770680</a>	ChiCTR2000030007	G-CSF	Do increased peripheral blood leukocyte and lymphocyte cell counts lead to clinical improvement in patients with COVID-19?
04-Sep-20	The Lancet	Azithromycin in addition to standard of care versus standard of care alone in the treatment of patients admitted to the hospital with severe COVID-19 in Brazil (COALITION II): a randomised clinical trial	RCT	Brazil	<a href="#">Furtado et al.</a>	<a href="https://www.thelancet.com/action/showPdf?pii=S0140-6736(20)32931-6">https://www.thelancet.com/action/showPdf?pii=S0140-6736(20)32931-6</a>	NCT04321278	azithromycine	Would azithromycine improve clinical outcomes to COVID-19 patients?
03-Sep-20	Journal General Internal Medicine	Chloroquine and Hydroxychloroquine for the Treatment of COVID-19: a Systematic Review and Meta analysis	Systematic review	India	<a href="#">Arunmozhiharan Elavarasi, et al.</a>	<a href="https://link.springer.com/article/10.1007/s11606-020-06146-w">https://link.springer.com/article/10.1007/s11606-020-06146-w</a>	NA	Chloroquine, hydroxychloroquine	Is the use of CQ or HCQ effective and safe in reducing mortality and improving the clinical course, fever remission, and virologic clearance in COVID-19 patients?
November - December 2020	Diabetes & Metabolic Syndrome: Clinical Research & Reviews Naunyn-Schmiedeberg's Archives of Pharmacology	No benefit of hydroxychloroquine in COVID-19: Results of Systematic Review and Meta-Analysis of Randomized Controlled Trials*	Systematic review	India	<a href="#">Pathak et al.</a>	<a href="https://www.sciencedirect.com/science/article/pii/S1871402120303362?via%3DIihub">https://www.sciencedirect.com/science/article/pii/S1871402120303362?via%3DIihub</a>	NA	hydroxychloroquine	Is HCQ effective in mild to moderate COVID-19 patients?
06-Sep-20	Schmiedeberg's Archives of Pharmacology	Hydroxychloroquine use and progression or prognosis of COVID-19: a systematic review and meta-analysis	Systematic review	China	<a href="#">Zang et al</a>	<a href="https://link.springer.com/article/10.1007/s2002-10-020-01964-5">https://link.springer.com/article/10.1007/s2002-10-020-01964-5</a>	NA	hydroxychloroquine	Benefits and harms of HCQ in COVID-19 patients
02-Sep-20	JAMA	Effect of Dexamethasone on Days Alive and Ventilator-Free in Patients With Moderate or Severe Acute Respiratory Distress Syndrome and COVID-19 The CoDEX Randomized Clinical Trial	RCT	Brazil	<a href="#">Bruno M. Tomazini, et al.</a>	<a href="https://jamanetwork.com/journals/jama/fullarticle/2770277?utm_campaign=articlePDF&amp;utm_medium=articlePDFlink&amp;utm_source=articlePDF&amp;utm_content=jama.2020.17021">https://jamanetwork.com/journals/jama/fullarticle/2770277?utm_campaign=articlePDF&amp;utm_medium=articlePDFlink&amp;utm_source=articlePDF&amp;utm_content=jama.2020.17021</a>	NCT04327401	Dexamethasone	To determine whether intravenous dexamethasone increases the number of ventilator-free days among patients with COVID-19-associated ARDS.
02-Sep-20	JAMA	Association Between Administration of Systemic Corticosteroids and Mortality Among Critically Ill Patients With COVID-19 - A Meta-analysis	Meta-analysis	International Collaboration	<a href="#">Jonathan A.C., et al.</a>	<a href="https://jamanetwork.com/journals/jama/fullarticle/2770279?utm_campaign=articlePDF&amp;utm_medium=articlePDFlink&amp;utm_source=articlePDF&amp;utm_content=jama.2020.17023">https://jamanetwork.com/journals/jama/fullarticle/2770279?utm_campaign=articlePDF&amp;utm_medium=articlePDFlink&amp;utm_source=articlePDF&amp;utm_content=jama.2020.17023</a>	PROSPERO database (CRD42020197242)	Corticosteroids	To estimate the association between administration of corticosteroids compared with usual care or placebo and 28-day all-cause mortality.
02-Sep-20	JAMA	Effect of Hydrocortisone on 21-Day Mortality or Respiratory Support Among Critically Ill Patients With COVID-19 - A Randomized Clinical Trial	RCT	France	<a href="#">Pierre-François Dequin, et al.</a>	<a href="https://jamanetwork.com/journals/jama/fullarticle/2770276?utm_campaign=articlePDF&amp;utm_medium=articlePDFlink&amp;utm_source=articlePDF&amp;utm_content=jama.2020.16761">https://jamanetwork.com/journals/jama/fullarticle/2770276?utm_campaign=articlePDF&amp;utm_medium=articlePDFlink&amp;utm_source=articlePDF&amp;utm_content=jama.2020.16761</a>	NCT02517489	Hydrocortisone	Does low-dose hydrocortisone decrease treatment failure in patients with COVID-19-related acute respiratory failure?
02-Sep-20	JAMA	Effect of Hydrocortisone on Mortality and Organ Support in Patients With Severe COVID-19 The REMAP-CAP COVID-19 Corticosteroid Domain Randomized Clinical Trial	RCT	UK	<a href="#">Derek C. Angus, et al.</a>	<a href="https://jamanetwork.com/journals/jama/fullarticle/2770278?utm_campaign=articlePDF&amp;utm_medium=articlePDFlink&amp;utm_source=articlePDF&amp;utm_content=jama.2020.17022">https://jamanetwork.com/journals/jama/fullarticle/2770278?utm_campaign=articlePDF&amp;utm_medium=articlePDFlink&amp;utm_source=articlePDF&amp;utm_content=jama.2020.17022</a>	NCT02735707	Hydrocortisone	To determine whether hydrocortisone improves outcome for patients with severe COVID-19.
12 October 2020	BMJ	Convalescent plasma in the management of moderate COVID-19 in India: An open-label parallel-arm phase II multicentre randomized controlled trial (PLACID Trial)	RCT	India	<a href="#">Anup Agarwal et al. and PLACID Collaborators</a>	<a href="https://www.bmj.com/content/371/bmj.m3939">https://www.bmj.com/content/371/bmj.m3939</a>	CTRI/2020/04/024775	Convalescent plasma	To assess the effectiveness of Convalescent plasma for the treatment of COVID-19
01-Sep	MedRxiv	Convalescent Plasma for COVID-19: A multicenter, randomized clinical trial	RCT	Spain	<a href="#">Avenidaño-Solà et al.</a>	<a href="https://www.medrxiv.org/content/10.1101/2020.08.26.20182444v3.full.pdf">https://www.medrxiv.org/content/10.1101/2020.08.26.20182444v3.full.pdf</a>	NCT04345523	Convalescent plasma	To demonstrate the efficacy and safety of Convalescent Plasma used to prevent progression to severe disease or death in hospitalized patients with earlier forms of COVID-19
09-Sep	MedRxiv	Early viral clearance among COVID-19 patients when gargling with Povidone-Iodine and Essential oils - a clinical trial.	RCT	Malaysia	<a href="#">Nurul Azmawati Mohamed et al.</a>	<a href="https://www.medrxiv.org/content/10.1101/2020.09.07.20180448v1.full.pdf">https://www.medrxiv.org/content/10.1101/2020.09.07.20180448v1.full.pdf</a>	NCT04410159	Gargling with 1% povidone-iodine (Betadine®), essential oils (Listerine®) or tap water	To assess the ability of regular gargling to eliminate SARS-CoV-2 in the oropharynx and nasopharynx.
12/09/2020	MedRxiv	Tocilizumab in Hospitalized Patients With COVID-19 Pneumonia	RCT	USA	<a href="#">Rosas et al.</a>	<a href="https://www.medrxiv.org/content/10.1101/2020.08.27.20183442v2.full.pdf">https://www.medrxiv.org/content/10.1101/2020.08.27.20183442v2.full.pdf</a>	NCT04320615	Tocilizumab	To investigate whether tocilizumab has clinical benefit in hospitalized patients with severe COVID-19 pneumonia.
08-Sep	Engineering	Efficacy and safety of triazavirin therapy for coronavirus disease 2019: A pilot randomized controlled trial	RCT	China	<a href="#">Wu et al.</a>	<a href="https://www.sciencedirect.com/science/article/pii/S2095809920302411?via%3DIihub">https://www.sciencedirect.com/science/article/pii/S2095809920302411?via%3DIihub</a>	ChiCTR20000300001	Triazavirin	To assess the efficacy of Triazavirin (TZV) for Covid-19
10-Sep	BMC Infectious Diseases.	Patient-Reported Health Outcomes After Treatment of COVID-19 with Nebulized and/or Intravenous Neutral Electrolyzed Saline Combined with Usual Medical Care Versus Usual Medical Care alone: A Randomized, Open-Label, Controlled Trial.	RCT	Cuba	<a href="#">Delgado-Enciso et al.</a>	<a href="https://assets.researchsquare.com/files/rs-68403/v1/e14a5067-cd36-4094-9c29-4bb66ac46805.pdf">https://assets.researchsquare.com/files/rs-68403/v1/e14a5067-cd36-4094-9c29-4bb66ac46805.pdf</a>	RPCE00000309	neutral electrolyzed saline	To evaluate the efficacy of treatment with intravenous and/or nebulized neutral electrolyzed saline combined with usual medical care versus usual medical care alone, in ambulatory patients with COVID-19.
01-Sep-20	Computers in Biology and Medicine	Prediction of respiratory decompensation in Covid-19 patients using machine learning: The READY trial	RCT	USA	<a href="#">Burdick et al.</a>	<a href="https://www.sciencedirect.com/science/article/pii/S0010482520302845?via%3DIihub">https://www.sciencedirect.com/science/article/pii/S0010482520302845?via%3DIihub</a>	NCT04390516	NA	NA

19-Aug-20	Journal of Medical Virology	Effectiveness of remdesivir for the treatment of hospitalized Covid-19 persons: a network meta-analysis	Review	China	Jiang et al.	<a href="https://onlinelibrary.wiley.com/doi/abs/10.1002/jmv.26443">https://onlinelibrary.wiley.com/doi/abs/10.1002/jmv.26443</a>	NA	Remdesivir	Remdesivir and its clinical effect
19-Aug-20	Journal of Antimicrobial Chemotherapy	Sofosbuvir and daclatasvir compared with standard of care in the treatment of patients admitted to hospital with moderate or severe coronavirus infection (COVID-19): a randomized controlled trial	RCT	Iran	Sadeghi et al.	<a href="https://academic.oup.com/jac/advance-article/doi/10.1093/jac/dkaa334/5889948">https://academic.oup.com/jac/advance-article/doi/10.1093/jac/dkaa334/5889948</a>	IRCT20200128046294N2	sofosbuvir/daclatasvir	ISofosbuvir and dalatasvir effective in COVID patients?
18-Aug-20	Stem Cell Research & Therapy	Treatment of severe COVID-19 with human umbilical cord mesenchymal stem cells	RCT	China	Shu et al.	<a href="https://stemcellres.biomedcentral.com/articles/10.1186/s13287-020-01875-5">https://stemcellres.biomedcentral.com/articles/10.1186/s13287-020-01875-5</a>	ChiCTR2000031494	umbilical cord mesenchymal stem cells	Are human umbilical cord mesenchymal stem cell infusion effective and safe for the treatment of severe COVID?
October	Journal of Steroid Biochemistry and Molecular Biology	"Effect of Calcifediol Treatment and best Available Therapy versus best Available Therapy on Intensive Care Unit Admission and Mortality Among Patients Hospitalized for COVID-19: A Pilot Randomized Clinical study	RCT	Spain	Marta Entrenas Castillo, et al.	<a href="https://www.sciencedirect.com/science/article/pii/S0960076020302764?via%3Dihub">https://www.sciencedirect.com/science/article/pii/S0960076020302764?via%3Dihub</a>	NCT04366908	Calcifediol	Evaluate the effect of calcifediol on ICU admission and mortality among patients hospitalized for COVID-19
13 August 2020	JAMA	Effect of an Inactivated Vaccine Against SARS-CoV-2 on Safety and Immunogenicity Outcomes Interim Analysis of 2 Randomized Clinical Trials	Vaccine - Phase I and II	China	Shengli Xia, et al.	<a href="https://jamanetwork.com/journals/jama/fullarticle/2769612">https://jamanetwork.com/journals/jama/fullarticle/2769612</a>	ChiCTR2000031809	Inactivated vaccine	To assess the safety and immunogenicity of this whole virus inactivated vaccine
21 August 2020	JAMA	Effect of Remdesivir vs Standard Care on Clinical Status at 11 Days in Patients With Moderate COVID-19	RCT	USA	Christoph D. Spinner, et al.	<a href="https://jamanetwork.com/journals/jama/fullarticle/2769871">https://jamanetwork.com/journals/jama/fullarticle/2769871</a>	NCT04292730	Remdesivir	Effect of remdesivir in patients with moderate COVID19
30 July 2020	BMJ	Drug treatments for covid-19: living systematic review and network meta-analysis	Systematic Review	International Collaboration	Reed AC Siemieniuk, et al.	<a href="https://www.bmj.com/content/370/bmj.m2980">https://www.bmj.com/content/370/bmj.m2980</a>	NA	All treatments	Living systematic review and network meta-analysis
28-Aug	MedRxiv	RNA-Based COVID-19 Vaccine BNT162b2 Selected for a Pivotal Efficacy Study	RCT	USA/ Germany	Walsh et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.08.17.20176651v2.full.pdf">https://www.medrxiv.org/content/10.1101/2020.08.17.20176651v2.full.pdf</a>	NCT04368728	Vaccine: RNA vaccines BNT162b1 and BNT162b2	To assess the safety and immunogenicity of varying dose levels of vaccines BNT162b1 and BNT162b2.
12 August 2020	Clinical Infectious Diseases	Methylprednisolone as Adjunctive Therapy for Patients Hospitalized With COVID-19 (Metcovid): A Randomised, Double-Blind, Phase IIb, Placebo-Controlled Trial	RCT	Brazil	Christiane Maria Prado Jeronimo, et al.	<a href="https://academic.oup.com/cid/advance-article/doi/10.1093/cid/ciaa1177/5891816">https://academic.oup.com/cid/advance-article/doi/10.1093/cid/ciaa1177/5891816</a>	NCT04343729	Methylprednisolone	Assess the efficacy of short-term methylprednisolone in patients with COVID-19
09 August 2020	Clinical Infectious Diseases	AVIFAVIR for Treatment of Patients with Moderate COVID-19: Interim Results of a Phase II/III Multicenter Randomized Clinical Trial	RCT	Russia	Andrey A. Ivashchenko, et al.	<a href="https://academic.oup.com/cid/advance-article/doi/10.1093/cid/ciaa1176/5890024">https://academic.oup.com/cid/advance-article/doi/10.1093/cid/ciaa1176/5890024</a>	NCT04434248	Favipiravir	Assess the efficacy and safety of favipiravir in moderate COVID19 and select the optimal dosing regimen for further evaluation (Phase III).
Preprint	International Journal of Infectious Diseases	SARS-CoV-2 Clearance in COVID-19 Patients with Nofavferon Treatment: A Randomized, Open-label, Parallel Group Trial	RCT	China	Fang Zheng, et al.	<a href="https://www.sciencedirect.com/science/article/pii/S1520197122030597X?via%3Dihub">https://www.sciencedirect.com/science/article/pii/S1520197122030597X?via%3Dihub</a>	ChiCTR2000029496	Nofavferon	Efficacy of Nofavferon and Nofavferon + Lopinavir/ritonavir in moderate and severe COVID19.
Preprint	medRxiv	Telmisartan for treatment of Covid-19 patients: an open randomized clinical trial. Preliminary report.	RCT	Argentina	Mariano Duarte, et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.08.04.20167205v2">https://www.medrxiv.org/content/10.1101/2020.08.04.20167205v2</a>	NCT04355936	Telmisartan	Assess the anti-inflammatory effect of telmisartan in COVID-19 patients
14 August 2020	Critical Care	Auxora versus standard of care for the treatment of severe or critical COVID-19 pneumonia: results from a randomized controlled trial	RCT	USA	Joseph Miller, et al.	<a href="https://ccforum.biomedcentral.com/articles/10.1186/s13054-020-03220-x">https://ccforum.biomedcentral.com/articles/10.1186/s13054-020-03220-x</a>	NCT04345614.	Auxora	Safety and tolerability of auxora in severe or critical COVID-19
Preprint	medRxiv	Immunogenicity and Safety of a SARS-CoV-2 Inactivated Vaccine in Healthy Adults Aged 18-59 years: Report of the Randomized, Double-blind, and Placebo-controlled Phase 2 Clinical Trial	Phase II vaccine RCT	China	YanJun Zhang, et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.07.31.20161216v1">https://www.medrxiv.org/content/10.1101/2020.07.31.20161216v1</a>	NCT04352608	Inactivated Vaccine	Is this SARS CoV 2 inactivated vaccine safe and well tolerated?
Preprint	medRxiv	Beneficial effects of colchicine for moderate to severe COVID-19: an interim analysis of a randomized, double-blind, placebo controlled clinical trial	RCT	Brazil	Maria IF Lopes, et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.08.06.20169573v2">https://www.medrxiv.org/content/10.1101/2020.08.06.20169573v2</a>	RBR-8jyhxh	Colchicine	To evaluate the efficacy of colchicine in treating severe and moderate COVID-19
2 September 2020	NEJM	Phase 1-2 Trial of a SARS-CoV-2 Recombinant Spike Protein Nanoparticle Vaccine	Phase I vaccine RCT	Australia	Cheryl Keech, et al.	<a href="https://www.nejm.org/doi/full/10.1056/NEJMoa2026920">https://www.nejm.org/doi/full/10.1056/NEJMoa2026920</a>	NCT04368988	NVX-CoV2373; recombinant nanoparticle vaccine	Assess the safety and tolerability of the NVX-CoV2373 recombinant vaccine in healthy subjects.
23 July 2020	NEMJ	Hydroxychloroquine with or without Azithromycin in Mild-to-Moderate COVID-19	RCT	Brazil	Alexandre B. Cavalcanti, et al.	<a href="https://www.nejm.org/doi/10.1056/NEJMoa2019014">https://www.nejm.org/doi/10.1056/NEJMoa2019014</a>	NCT04322123	Hydroxychloroquine	Asses the efficacy of hydroxychloroquine with and without azithromycin in mild to moderate COVID19
6 July 2020	Journal of Medical Virology	Systematic Review and Meta-analysis of Effectiveness of Treatment Options Against SARS-CoV-2 Infection	Systematic review	USA	Viveksandeep Thogulva Chandrasekar, et al.	<a href="https://onlinelibrary.wiley.com/doi/epdf/10.1002/jmv.26302">https://onlinelibrary.wiley.com/doi/epdf/10.1002/jmv.26302</a>	NA	Hydroxychloroquine, Tocilizumab, Remdesivir, convalescent plasma, steroids, lopinavir/ritonavir	Asses overall efficacy of treatments that have been studied thus far.
Preprint	medRxiv	Use of a humanized anti-CD6 monoclonal antibody (Itolizumab) in elderly patients with moderate COVID-19	CT	Cuba	Yayquier Diaz, et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.07.24.20153833v1">https://www.medrxiv.org/content/10.1101/2020.07.24.20153833v1</a>	RPCE00000311	Itolizumab	Is Itolizumab a safe and efficient treatment for COVID 19 in elderly patients?
Preprint	medRxiv	Efficacy and tolerability of bevacizumab in patients with severe Covid-19	CT	China, Italy	Jiaojiao Pang, et al	<a href="https://www.medrxiv.org/content/10.1101/2020.07.26.20159756v1">https://www.medrxiv.org/content/10.1101/2020.07.26.20159756v1</a>	NCT04275414	Bevacizumab	Is bevacizumab a safe and efficient treatment for severe COVID 19?
29 July 2020	EclinicalMedicine (Lancet)	A clinical pilot study on the safety and efficacy of aerosol inhalation treatment of IFN- $\alpha$ plus TFF2 in patients with moderate COVID-19	CT	China + USA	Weihui et al.	<a href="https://www.sciencedirect.com/science/article/pii/S2589537020302224">https://www.sciencedirect.com/science/article/pii/S2589537020302224</a>	ChiCTR2000030262	IFN- $\alpha$ plus trefoil factor 2	To evaluate the efficacy and safety of intranasal inhalation of TFF2 and IFN- $\alpha$ protein for SARS-CoV-2 infection
21 July 2020	Virologica Sinica	A Small-Scale Medication of Leflunomide as a Treatment of COVID-19 in an Open-Label Blank-Controlled Clinical Trial	CT	China	Hu et al.	<a href="https://link.springer.com/article/10.1007/s12250-020-00258-7">https://link.springer.com/article/10.1007/s12250-020-00258-7</a>	ChiCTR 2000030058	leflunomide	Is leflunomide effective in COVID-19 patients?
20-Jul	Lancet	Safety and immunogenicity of the ChAdOx1 nCoV-19 vaccine against SARS-CoV-2: a preliminary report of a phase 1/2, single-blind, randomised controlled trial	RCT	UK	Folegatti et al. on behalf of the Oxford COVID Vaccine Trial Group	<a href="https://www.thelancet.com/journals/lancet/article/PIIS0140-6736(20)31604-4/fulltext">https://www.thelancet.com/journals/lancet/article/PIIS0140-6736(20)31604-4/fulltext</a>	ISRCTN 15281137; NCT04324606	ChAdOx1 nCoV-19 vaccine	To assess the immunogenicity, reactivity, and safety of vaccination with ChAdOx1 nCoV-19 in single-dose and two-dose regimens.
20-Jul	Lancet	Immunogenicity and safety of a recombinant adenovirus type-5-vectored COVID-19 vaccine in healthy adults aged 18 years or older: a randomised, double-blind, placebo-controlled, phase 2 trial	RCT	China	Feng-Cai Zhu et al.	<a href="https://www.thelancet.com/action/showPdf?pii=S0140-6736(2020)2931605-6">https://www.thelancet.com/action/showPdf?pii=S0140-6736(2020)2931605-6</a>	NCT04341389	adenovirus type-5 (Ad5)-vectored COVID-19 vaccine	Phase 2 trial to further evaluate the immunogenicity and safety in a larger population, and to determine an appropriate dose for the efficacy study
12 August 2020	Nature	Phase 1/2 study of COVID-19 RNA vaccine BNT162b1 in adults	Phase 1/2 trial	USA/Germany	Mulligan et al.	<a href="https://www.nature.com/articles/s41586-020-2639-4">https://www.nature.com/articles/s41586-020-2639-4</a>	NCT04368728	RNA Vaccine BNT162b1	To assess safety, tolerability, and immunogenicity of RNA Vaccine candidate in a dose escalation study among healthy adults
20-Jul-20	Medrxiv	Concurrent human antibody and TH1 type T-cell responses elicited by a COVID-19 RNA vaccine	Phase 1/2 trial	Germany/ USA	Sahin et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.07.17.20140533v1.full.pdf">https://www.medrxiv.org/content/10.1101/2020.07.17.20140533v1.full.pdf</a>	NCT04380701, Eudract: 2020-001038-36	RNA Vaccine BNT162b1	To complement previous reported data by providing a detailed characterisation of antibody and T76 cell immune responses elicited by BNT162b1 vaccination.
14-Jul	NEMJ	An mRNA Vaccine against SARS-CoV-2 — Preliminary Report	Phase 1 trial	USA	Jackson et al.	<a href="https://www.nejm.org/doi/pdf/10.1056/NEJMoa2022483">https://www.nejm.org/doi/pdf/10.1056/NEJMoa2022483</a>	NCT04283461	mRNA-1273 vaccine	To evaluate the safety and immunogenicity of mRNA-1273 vaccine
08-Oct	NEJM	Effect of Hydroxychloroquine in Hospitalized Patients with COVID-19: Preliminary results from a multi-centre, randomized, controlled trial.	RCT	UK	Horby et al. (RECOVERY Collaborative Group)	<a href="https://www.nejm.org/doi/10.1056/NEJMoa2022926">https://www.nejm.org/doi/10.1056/NEJMoa2022926</a>	ISRCTN 50189673, NCT04381936	Hydroxychloroquine	To assess the safety and efficacy of hydroxychloroquine in patients hospitalized with COVID-19
10-Jul	Medrxiv	A Multicenter, randomized, open-label, controlled trial to evaluate the efficacy and tolerability of hydroxychloroquine and a retrospective study in adult patients with mild to moderate Coronavirus disease 2019 (COVID-19)	RCT & retrospective cohort study	Taiwan	Cheng-Pin Chen et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.07.08.20148841v1.full.pdf">https://www.medrxiv.org/content/10.1101/2020.07.08.20148841v1.full.pdf</a>	NCT04384380	Hydroxychloroquine	To evaluate HCQ efficacy and tolerability in adult patients with mild to moderate COVID-19.
16-Jul	Annals of Internal Medicine	Hydroxychloroquine in Nonhospitalized Adults With Early COVID-19 - A Randomized Trial	RCT	USA	Skipper et al.	<a href="https://www.acpjournals.org/doi/10.7326/M20-4207">https://www.acpjournals.org/doi/10.7326/M20-4207</a>	NCT04308668	Hydroxychloroquine	To investigate whether hydroxychloroquine could reduce COVID 19 severity in adult outpatients



Preprint	Lancet	Hydroxychloroquine Alone or in Combination with Cobicistat-Boosted Darunavir for Treatment of Mild COVID-19: A Cluster-Randomized Clinical Trial	RTC	Spain	Mitjà et al,	<a href="https://papers.ssrn.com/sol3/papers.cfm?abstract_id=3615997">https://papers.ssrn.com/sol3/papers.cfm?abstract_id=3615997</a>	NCT04304053	Hydroxychloroquine, Darunavir, Cobicistat	Is early treatment with hydroxychloroquine (HCQ) with or without cobicistat/darunavir more efficacious than no-treatment for outpatients with mild Covid-19?
Preprint	ResearchSquare	A pragmatic randomized controlled trial reports the efficacy of hydroxychloroquine on coronavirus disease 2019 viral kinetics	RCT	Norway	Magnus Nakrem Lyngbakken, et al.	<a href="https://assets.researchsquare.com/files/rs-44055/v1/3fb11155-d83c-48a0-ae74-b3cce9a5eac3.pdf">https://assets.researchsquare.com/files/rs-44055/v1/3fb11155-d83c-48a0-ae74-b3cce9a5eac3.pdf</a>	NCT04316377	Hydroxychloroquine	To assess the efficacy and safety of hydroxychloroquine therapy on SARS-CoV-2 oropharyngeal viral kinetics in patients hospitalized with moderately severe COVID-19.
11 June 2020	Open Forum Infectious Diseases	Antiviral Activity and Safety of Darunavir/Cobicistat for the Treatment of COVID-19	RCT	China	Jun Chen, et al.	<a href="https://pubmed.ncbi.nlm.nih.gov/32671131/">https://pubmed.ncbi.nlm.nih.gov/32671131/</a>	NCT04252274	Darunavir, Cobicistat	Evaluate the antiviral activity and safety of darunavir/cobicistat (DRV/c) for treating mild COVID-19
15-Jul-20	SN Comprehensive Clinical Medicine	Systematic and Statistical Review of Coronavirus Disease 19 Treatment Trials	Systematic review & Meta-analysis	USA	Juan A. Siorida Jr et al.	<a href="https://link.springer.com/article/10.1007%2F42399-020-00399-6">https://link.springer.com/article/10.1007%2F42399-020-00399-6</a>	N/A	lopinavir/ritonavir; arbidol; hydroxychloroquine; remdesivir; tocilizumab; favipiravir; heparin; dexamethasone	To assess the current evidence regarding human controlled COVID-19 treatment trials.
Preprint	BMC Infectious Diseases	A Randomized Trial of Ivermectin-Doxycycline and Hydroxychloroquine-Azithromycin therapy on COVID19 patients.	RT	Bangladesh	Abu Taiub Mohammed Mohiuddin Chowdhury, et al.	<a href="https://www.researchgate.net/profile/Abu_Taiub_Mohammed_Mohiuddin_Chowdhury2/publication/342159343_A_comparative_observational_study_on_Ivermectin-Doxycycline_and_Hydroxychloroquine-Azithromycin_therapy_on_COVID19_patients/links/5f02954c92851c52d619d95e/A-comparative-observational-study-on-Ivermectin-Doxycycline-and-Hydroxychloroquine-Azithromycin-therapy-on-COVID19-patients.pdf">https://www.researchgate.net/profile/Abu_Taiub_Mohammed_Mohiuddin_Chowdhury2/publication/342159343_A_comparative_observational_study_on_Ivermectin-Doxycycline_and_Hydroxychloroquine-Azithromycin_therapy_on_COVID19_patients/links/5f02954c92851c52d619d95e/A-comparative-observational-study-on-Ivermectin-Doxycycline-and-Hydroxychloroquine-Azithromycin-therapy-on-COVID19-patients.pdf</a>	NCT04434144	Ivermectin, Doxycycline, Hydroxychloroquine, Azithromycin	Compared outcomes of Ivermectin-Doxycycline vs. Hydroxychloroquine-Azithromycin combination therapy COVID19 patients with mild to moderate disease.
updated 12/10/20	Cochrane	Convalescent plasma or hyperimmune immunoglobulin for people with COVID-19: a living systematic review	Systematic review	International Collaboration	Piechotta V, et al.	<a href="https://www.cochranelibrary.com/cdsr/doi/10.1002/14651858.CD013600.pub2/abstract">https://www.cochranelibrary.com/cdsr/doi/10.1002/14651858.CD013600.pub2/abstract</a>	NA	Convalescent plasma, hyperimmune immunoglobulin	Assess the effectiveness of convalescent plasma and hyperimmune immunoglobulin for treating people with COVID19
Preprint	Advanced Science	A Randomized, Open-label, Controlled Clinical Trial of Azvudine Tablets in the Treatment of Mild and Common COVID-19, A Pilot Study	RCT	China	Zhigang Ren, et al.	<a href="https://onlinelibrary.wiley.com/doi/epdf/10.1002/advs.202001435">https://onlinelibrary.wiley.com/doi/epdf/10.1002/advs.202001435</a>	ChiCTR2000029853	Azvudine	Efficacy of azvudine in treating mild COVID19 patients
24/06/2020	JAMA Network Open: Infectious Diseases	Effect of Colchicine vs Standard Care on Cardiac and Inflammatory Biomarkers and Clinical Outcomes in Patients Hospitalized With Coronavirus Disease 2019The GRECCO-19 Randomized Clinical Trial	Randomized clinical trial	Greece	Deftereos et al.	<a href="https://jamanetwork.com/journals/jamanetworkopen/fullarticle/2767593">https://jamanetwork.com/journals/jamanetworkopen/fullarticle/2767593</a>	NCT04326790	Colchicine	To evaluate the effect of treatment with colchicine on cardiac and inflammatory biomarkers and clinical outcomes in patients hospitalized with COVID-19.
30-Jun-20	The International Journal of Clinical Practice	Febuxostat Therapy in Outpatients With Suspected COVID-19: A Clinical Trial	RCT	Iran	Davoodi et al.	<a href="https://pubmed.ncbi.nlm.nih.gov/32603531/">https://pubmed.ncbi.nlm.nih.gov/32603531/</a>	IRCT201907270443N1	Hydroxychloroquine, Febuxostat	Is febuxostat effective in comparison with hydroxychloroquine?
17 July 2020	NEMJ	Effect of Dexamethasone in Hospitalized Patients with COVID-19: Preliminary Report	RCT	UK	Horby et al. (RECOVERY Writing Committee)	<a href="https://www.nejm.org/doi/pdf/10.1056/NEJMoa2021436?casa_token=H8GAcAepprUAAAAA:m_9QlB5FC6d6YPLMryKlQVPOQTUouO5D39ki_1j8u1sv2DvAE77pLjZ3GbCpQSV4V6ZjZ8086B0dT">https://www.nejm.org/doi/pdf/10.1056/NEJMoa2021436?casa_token=H8GAcAepprUAAAAA:m_9QlB5FC6d6YPLMryKlQVPOQTUouO5D39ki_1j8u1sv2DvAE77pLjZ3GbCpQSV4V6ZjZ8086B0dT</a>	ISRCTN 50189673, NCT04381936	Dexamethasone	To test the effectiveness of dexamethasone in patients hospitalized with COVID-19
18-Jun	medRxiv	GLUCOCOVID: A controlled trial of methylprednisolone in adults hospitalized with COVID-19 pneumonia	RCT	Spain	Corral-Gudino et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.06.17.20133579v1.full.pdf">https://www.medrxiv.org/content/10.1101/2020.06.17.20133579v1.full.pdf</a>	EudraCT number: 2020-001934-37	methylprednisolone	To determine whether a 6-day course of intravenous methylprednisolone (MP) improves outcome in patients with SARS-CoV-2 infection at risk of developing Acute Respiratory Distress Syndrome (ARDS)
05-Jun-20	Science Immunology	Inhibition of Bruton tyrosine kinase in patients with severe COVID-19	RCT	USA	Roschewski et al.	<a href="https://immunology.sciencemag.org/content/5/48/eabd0110">https://immunology.sciencemag.org/content/5/48/eabd0110</a>	NA	Acalabrutinib	Is acalabrutinib effective in severe COVID-19 patients?
8 June 2020 - Accelerated publication	Nature	Estimating the effects of non-pharmaceutical interventions on COVID-19 in Europe	Modelling	UK	Seth Flaxman, et al.	<a href="https://www.nature.com/articles/s41586-020-2405-7">https://www.nature.com/articles/s41586-020-2405-7</a>	NA	Non-pharmaceutical interventions	Were the non-pharmaceutical interventions implemented in European countries effective in limiting the spread of SARS-CoV-2?
8 May 2020	Nature - Leukemia	The Janus kinase 1/2 inhibitor ruxolitinib in COVID-19 with severe systemic hyperinflammation	Retrospective analysis	Germany	F. La Rosée, et al.	<a href="https://www.nature.com/articles/s41375-020-0891-0">https://www.nature.com/articles/s41375-020-0891-0</a>	NA	Ruxolitinib	Efficacy and safety of ruxolitinib in severe COVID19
8 June 2020	Lancet Rheumatology	Canakinumab in a subgroup of patients with COVID-19	Retrospective analysis	Italy	Claudio Ucciferri, et al.	<a href="https://www.sciencedirect.com/science/article/pii/S2665991320301673?via%3Dihub">https://www.sciencedirect.com/science/article/pii/S2665991320301673?via%3Dihub</a>	NA	Canakinumab	Is canakinumab a safe and effective treatment against COVID19?
10-Jun-20	BMJ	Use of personal protective equipment against coronavirus disease 2019 by healthcare professionals in Wuhan, China: cross sectional study	Observational study	China	Min Liu et al.	<a href="https://www.bmj.com/content/369/bmj.m2195">https://www.bmj.com/content/369/bmj.m2195</a>	NA	NA	To examine the protective effects of appropriate personal protective equipment
02-Jun-20	The Lancet Digital Health	Effects of non-pharmaceutical interventions on COVID-19 cases, deaths, and demand for hospital services in the UK: a modelling study	Modelling study	UK	Gavines et al.	<a href="https://www.thelancet.com/journals/lanpub/article/PIIS2468-2667(20)30133-X/fulltext#%20">https://www.thelancet.com/journals/lanpub/article/PIIS2468-2667(20)30133-X/fulltext#%20</a>	NA	NA	What is the impact of different control measures for mitigating the burden of COVID-19
01-Jun-20	Journal of Clinical Microbiology	Clinical performance of the Luminex NxTAG CoV Extended Panel for SARS-CoV-2 detection in nasopharyngeal specimens of COVID-19 patients in Hong Kong	Diagnostic	Hong-Kong	Jonathan Hon-Kwan Chen	<a href="https://jcm.asm.org/content/early/2020/05/29/10.1128/JCM.00936-20">https://jcm.asm.org/content/early/2020/05/29/10.1128/JCM.00936-20</a>	NA	Nucleic acid test	Evaluation of Luminex NxTAG in COVID-19 detection
26-May-20	Clinical Microbiology and Infection	Clinical evidence for repurposing chloroquine and hydroxychloroquine as antiviral agents: a systematic review	Systematic review / Meta analysis	Australia/Sri Lanka	Rodrigo et al.	<a href="https://www.sciencedirect.com/science/article/pii/S119874320302937?via%3Dihub">https://www.sciencedirect.com/science/article/pii/S119874320302937?via%3Dihub</a>	NA	Hydroxychloroquine, chloroquine	Does hydroxychloroquine have antiviral effect?
14-Jun	MedRxiv	Kinetics of the humoral immune response to SARS-CoV-2: comparative analytical performance of seven commercial serology tests	Diagnostic	Belgium	Herroelen et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.06.09.20124719v2.full.pdf">https://www.medrxiv.org/content/10.1101/2020.06.09.20124719v2.full.pdf</a>	N/A	Antibody test	To test the performance characteristics of seven commercially available serology tests for detection of antibodies against the SARS-CoV-2
09-Jun	MedRxiv	Therapeutic effectiveness of interferon-alpha 2b against COVID-19: the Cuban experience	observational study	Cuba	Pereda et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.05.29.20109199v1.full.pdf">https://www.medrxiv.org/content/10.1101/2020.05.29.20109199v1.full.pdf</a>	RPCE00000318	Interferon alpha 2b	To assess the therapeutic efficacy of IFN-α2b in patients infected with SARS-CoV-2
10-Jun	MedRxiv	ICON (Ivermectin in Covid Nineteen) study: Use of Ivermectin is Associated with Lower Mortality in Hospitalized Patients with COVID19	Retrospective analysis	USA	Cepelowicz Rajter et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.06.06.20124461v2.full.pdf">https://www.medrxiv.org/content/10.1101/2020.06.06.20124461v2.full.pdf</a>	N/A	Ivermectin	To determine whether Ivermectin is associated with lower mortality rate in patients hospitalized with COVID-19

14-Jun	MedRxiv	First Clinical Use of Lenzilumab to Neutralize GM-CSF in Patients with Severe and Critical COVID-19 Pneumonia	prospective study with FDA emergency use IND	USA	Temesgen et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.06.08.20125369v2.full.pdf">https://www.medrxiv.org/content/10.1101/2020.06.08.20125369v2.full.pdf</a>	N/A	Lenzilumab	To assess the efficacy of lenzilumab therapy in patients hospitalized with severe COVID-19 pneumonia, who had clinical and/or biomarker evidence for increased risk of progression to respiratory failure
02-Jun	MedRxiv	Low levels of the prognostic biomarker suPAR are predictive of mild outcome in patients with symptoms of COVID-19 - a prospective cohort study	prospective cohort study	Denmark/USA	Eugen-Olsen et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.05.27.20114678v1.full.pdf">https://www.medrxiv.org/content/10.1101/2020.05.27.20114678v1.full.pdf</a>	N/A	Prognostic biomarker	To investigate whether soluble urokinase plasminogen activator receptor (suPAR) can aid in identifying patients with low risk of respiratory failure when presenting with symptoms of COVID-19
08/06/2020	MedRxiv	Low-Dose Whole-Lung Radiation for COVID-19 Pneumonia: Planned Day-7 Interim Analysis of a Registered Clinical Trial	CT	USA	Hess et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.06.03.20116988v1.full.pdf">https://www.medrxiv.org/content/10.1101/2020.06.03.20116988v1.full.pdf</a>	NCT: 04366791	Low dose radiation	To determine if Low Dose-Radiation Therapy can reduce pulmonary inflammation associated with COVID-19 pneumonia.
02-Jun	MedRxiv	Efficacy and Safety of Leflunomide for Refractory COVID-19: An Open-label Controlled Study	CT	China	Wang et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.05.29.20114223v1.full.pdf">https://www.medrxiv.org/content/10.1101/2020.05.29.20114223v1.full.pdf</a>	ChiCTR2000030058	Leflunomide	To evaluate the safety and efficacy of leflunomide for the treatment of refractory COVID-19 in adult patients.
08-Jun	MedRxiv	Nano short peptide nutrition intervention on the prognosis of patients with COVID-19	Retrospective analysis	China	Zhang et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.06.03.20083980v1.full.pdf">https://www.medrxiv.org/content/10.1101/2020.06.03.20083980v1.full.pdf</a>	N/A	enteral nutrition	To explore the effect of high fiber whey short peptide enteral nutrition on the prognosis of patients with COVID-19
05-Jun	MedRxiv	Ozone therapy for patients with SARS-CoV-2 pneumonia: a single-center prospective cohort study	prospective cohort study	Spain/ USA/Canada	Hernández et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.06.03.20117994v1.full.pdf">https://www.medrxiv.org/content/10.1101/2020.06.03.20117994v1.full.pdf</a>	N/A	Ozone therapy	To determine if ozonated autohemotherapy is associated with a shorter time to clinical improvement in patients with severe COVID-19 pneumonia.
02-Jun	MedRxiv	CIGB-258 immunomodulatory peptide: a novel promising treatment for critical and severe COVID-19 patients	CT	Cuba	Venegas-Rodriguez et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.05.27.20110601v1.full.pdf">https://www.medrxiv.org/content/10.1101/2020.05.27.20110601v1.full.pdf</a>	RPCE00000313	CIGB-258 immunomodulatory peptide	To determine the effect of Center for Genetic Engineering and Biotechnology (CIGB)-258 therapy in seriously, or critically ill patients with COVID-19.
02-Jun	MedRxiv	A cohort study to evaluate the effect of combination Vitamin D, Magnesium and Vitamin B12 (DMB) on progression to severe outcome in older COVID-19 patients.	Observational study	Singapore	Chuen Wen Tan et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.06.01.20112334v1.full.pdf">https://www.medrxiv.org/content/10.1101/2020.06.01.20112334v1.full.pdf</a>	N/A	Vitamin D, Magnesium and Vitamin B12 (DMB)	To determine the clinical outcomes of older COVID-19 patients who received Vitamin D, Magnesium and Vitamin B12 (DMB) compared to those who did not
03-Jun	MedRxiv	Therapeutic Anticoagulation is Associated with Decreased Mortality in Mechanically Ventilated COVID-19 Patients	Retrospective analysis	USA	Trinh et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.05.30.20117929v1.full.pdf">https://www.medrxiv.org/content/10.1101/2020.05.30.20117929v1.full.pdf</a>	N/A	anticoagulation agents	To evaluate differences in morbidity and mortality among mechanically ventilated patients with COVID-19 treated with therapeutic versus prophylactic anticoagulation
21 October 2020	Translational Medicine	Tocilizumab for patients with COVID-19 pneumonia. The TOCIDVID-19 phase 2 trial	CT	Italy	Perrone et al.	<a href="https://translational-medicine.biomedcentral.com/articles/10.1186/s12967-020-02573-9">https://translational-medicine.biomedcentral.com/articles/10.1186/s12967-020-02573-9</a>	EudraCT (2020-001110-38); clinicaltrials.gov (NCT04317092)	Tocilizumab	To evaluate efficacy of tocilizumab in COVID-19 pneumonia patients.
02/06/2020	MedRxiv	Rapid point of care nucleic acid testing for SARS-CoV-2 in hospitalised patients: a clinical trial and implementation study	prospective clinical trial and observational study	UK/South Africa	Dami Collier, et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.05.31.20114520v1.full.pdf">https://www.medrxiv.org/content/10.1101/2020.05.31.20114520v1.full.pdf</a>	NCT04326387	Nucleic acid diagnostic	To compare SAMBA II SARS-CoV-2 performance against the standard lab RTPCR test in suspected COVID-19 cases presenting to hospital, followed by a hospital-based implementation study.
06-Jun	MedRxiv	Side by side comparison of three fully automated SARS-CoV-2 antibody assays with a focus on specificity	Diagnostic comparison	Austria	Perkmann et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.06.04.20117911v2.full.pdf">https://www.medrxiv.org/content/10.1101/2020.06.04.20117911v2.full.pdf</a>	N/A	Antibody diagnostic	To compare three fully automated large-scale laboratory analyzer test systems, with particular emphasis on specificity, which is crucial for an adequate positive predictive value given the current low seroprevalence worldwide.
05-Jun	MedRxiv	Implementation and evaluation of a novel real-time multiplex assay for SARS-CoV-2: In-field learnings from a clinical microbiology laboratory	Diagnostic validation study	Australia	Williams et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.06.03.20117267v1.full.pdf">https://www.medrxiv.org/content/10.1101/2020.06.03.20117267v1.full.pdf</a>	N/A	Nucleic acid diagnostic	To describe initial experience using a commercially-available multiplex two-step nested tandem RT-PCR assay for the detection of coronaviruses that infect humans, including SARS-CoV-2
02-Jun	MedRxiv	Detection of SARS-CoV-2 neutralizing antibodies with a cell-free PCR assay	Diagnostic validation study	USA/Switzerland	Danh et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.05.28.20105692v1.full.pdf">https://www.medrxiv.org/content/10.1101/2020.05.28.20105692v1.full.pdf</a>	N/A	Diagnostic for identifying suitable Convalescent plasma donors	To construct and validate a cell-free assay to measure neutralizing antibodies in order to identify suitable donors of convalescent plasma
02-Jun	MedRxiv	Diagnostic accuracy of a host response point-of-care test for identifying COVID-19	diagnostic clinical evaluation	UK	Clark et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.05.27.20114512v1.full.pdf">https://www.medrxiv.org/content/10.1101/2020.05.27.20114512v1.full.pdf</a>	ISRCTN14966673	Diagnostic	To evaluate the real-world diagnostic accuracy of Febrilix for the identification of COVID-19 in hospitalised adults
August 2020	Journal of Clinical Virology	Alltest rapid lateral flow immunoassays is reliable in diagnosing SARS-CoV-2 infection from 14 days after symptom onset: A prospective single-center study	Diagnostic assay	Spain	García et al.	<a href="https://www.sciencedirect.com/science/article/pii/S1386653220302158?ia%3Dihub">https://www.sciencedirect.com/science/article/pii/S1386653220302158?ia%3Dihub</a>	NA	NA	To analyze the diagnostic performance of one serologic rapid test in COVID-19 patients
06-Jun-20	Brain, Behaviour and Immunity	Poor-sleep is associated with slow recovery from lymphopenia and an increased need for ICU care in hospitalized patients with COVID-19: A retrospective cohort study	Retrospective study	China	Zhang et al.	<a href="https://www.sciencedirect.com/science/article/pii/S0889159120309946">https://www.sciencedirect.com/science/article/pii/S0889159120309946</a>	NA	NA	Effects of sleep quality on recovery from lymphopenia and clinical outcomes in hospitalized patients with COVID-19
28 May 2020	Drug Safety	Remdesivir in Treatment of COVID-19: A Systematic Benefit-Risk Assessment	Systematic review	UK	Miranda Davies, et al.	<a href="https://doi.org/10.1007/s40264-020-00952-1">https://doi.org/10.1007/s40264-020-00952-1</a>	NA	Remdesivir	To assess the overall benefit-risk of the use of remdesivir as a treatment for COVID-19 compared with standard of care, placebo or other treatments
27 May 2020	Society of Critical Care	Routine Venous Thromboembolism Prophylaxis May Be Inadequate in the Hypercoagulable State of Severe Coronavirus Disease 2019	Observational study	USA	Thomas K. Maatman, et al.	DOI: 10.1097/CCM.0000000000004466	NA	Venous thromboembolism prophylaxis	To determine the frequency of venous thromboembolism (VT) in critically ill COVID19 patients who received prophylaxis for VT.
3 June 2020	JAMA	Effect of Convalescent Plasma Therapy on Time to Clinical Improvement in Patients With Severe and Life-Threatening COVID-19 - A Randomized Clinical Trial	RCT	China	Ling Li, et al.	doi:10.1001/jama.2020.10044	ChiCTR2000029757	Convalescent Plasma	Is convalescent plasma a safe and efficient treatment for severe COVID19?
Preprint	Journal of the American College of Cardiology	Ramipril in High Risk Patients with COVID-19	Retrospective analysis	Spain	Ignacio J. Amat-Santos, et al.	<a href="https://www.sciencedirect.com/science/article/pii/S073510972035395X?via%3Dihub">https://www.sciencedirect.com/science/article/pii/S073510972035395X?via%3Dihub</a>	NCT03201185 (source RCT)	Ramipril	To analyze if ramipril modifies the risk for COVID-19.
3 June 2020	PlosOne	The need of health policy perspective to protect Healthcare Workers during COVID-19 pandemic. A GRADE rapid review on the N95 respirators effectiveness	Systematic review / Meta analysis	Italy	Primiano Iannone, et al.	<a href="https://journals.plos.org/plosone/article?id=10.1371/journal.pone.0234025">https://journals.plos.org/plosone/article?id=10.1371/journal.pone.0234025</a>	NA	N95 respirators	Should health care workers wear surgical masks or N95 respirators during the routine care (not involving aerosol generating procedures) of COVID-19 suspected or affected patients?
1 June 2020	Lancet	Physical distancing, face masks, and eye protection to prevent person-to-person transmission of SARS-CoV-2 and COVID-19: a systematic review and meta-analysis	Systematic review	International collaboration	Derek K Chu, et al.	<a href="https://doi.org/10.1016/S0140-6736(20)31183-1">https://doi.org/10.1016/S0140-6736(20)31183-1</a>	PROSPERO: CRD42020177047	PPE	Investigate the effects of physical distance, face masks, and eye protection on virus transmission in health-care and non-health-care (eg, community) settings
Preprint	Diabetes, obesity & metabolism	Exposure to DPP-4 inhibitors and COVID-19 among people with type 2 diabetes. A case-control study	Case population study	Italy	Gian Paolo Fadini, et al.	<a href="https://pubmed.ncbi.nlm.nih.gov/32463179/">https://pubmed.ncbi.nlm.nih.gov/32463179/</a>	NA	DPP-4 inhibitors	Do DPP-4 inhibitors have a protective effect against COVID19?
03 June 2020	NEJM	A Randomized Trial of Hydroxychloroquine as Postexposure Prophylaxis for Covid-19	RCT	USA / Canada	D.R. Boulware, et al.	<a href="https://www.nejm.org/doi/full/10.1056/NEJMoa2016638">https://www.nejm.org/doi/full/10.1056/NEJMoa2016638</a>	NCT04308668.	Hydroxychloroquine	Is hydroxychloroquine effective in post-exposure prophylaxis therapy?
Preprint	Biosensors and Bioelectronics	Ultra-sensitive and high-throughput CRISPR-Powered COVID-19 diagnosis	Diagnostic assay	USA	Zhen Huang, et al.	<a href="https://doi.org/10.1016/j.bios.2020.112316">https://doi.org/10.1016/j.bios.2020.112316</a>	NA	CRISPR RT-PCR	Can CRISPR technology simplify RT-PCR for SARS CoV2 and be effective for diagnosis?
Preprint	Gastroenterology	Famotidine Use is Associated with Improved Clinical Outcomes in Hospitalized COVID-19 Patients: A Propensity Score Matched Retrospective Cohort Study	Retrospective study	USA	Daniel E. Freedberg, et al.	<a href="https://www.gastrojournal.org/article/S0016-5085(20)34706-5/fulltext">https://www.gastrojournal.org/article/S0016-5085(20)34706-5/fulltext</a>	NA	Famotidine	Do COVID19 patients taking famotidine have a lower risk of intubation and/or death?

27 May 2020	NEJM	Remdesivir for 5 or 10 Days in Patients with Severe Covid-19	RCT	International collaboration/ Gilead Sciences	Jason D. Goldman, et al.	<a href="https://www.nejm.org/doi/full/10.1056/NEJMoa2015301">https://www.nejm.org/doi/full/10.1056/NEJMoa2015301</a>	NCT04292899	Remdesivir	Is a 5 day course of remdesivir as effective as a 10 course in treating moderately ill COVID19 patients?
22 May 2020	NEJM	Remdesivir for the Treatment of Covid-19 — Preliminary Report	RCT	International collaboration	J.H. Beigel, et al.	<a href="https://www.nejm.org/doi/full/10.1056/NEJMoa2007764">https://www.nejm.org/doi/full/10.1056/NEJMoa2007764</a>	NCT04280705	Remdesivir	Is remdesivir an effective treatment for reducing time to recovery in COVID19 patients?
Preprint	Journal of Allergy and Clinical Immunology	Ruxolitinib in treatment of severe coronavirus disease 2019 (COVID-19): A multicenter, single-blind, randomized controlled trial	RCT	China	Yang Cao, et al.	<a href="https://doi.org/10.1016/j.jaci.2020.05.019">https://doi.org/10.1016/j.jaci.2020.05.019</a>	ChiCTR-OPN-2000029580.	Ruxolitinib	To evaluate the efficacy and safety of ruxolitinib for patients with severe COVID19.
Preprint	Clinical Infectious Diseases	Thymosin alpha 1 (Tα1) reduces the mortality of severe COVID 19 by restoration of lymphocytopenia and reversion of exhausted T cells	Retrospective study	China	Yueping Liu, et al.	<a href="https://pubmed.ncbi.nlm.nih.gov/32442287/">https://pubmed.ncbi.nlm.nih.gov/32442287/</a>	NA	Thymosin alpha	Is thymosin alpha a safe and effective treatment for severe COVID19?
Preprint	International Journal of Infectious Diseases	HUMAN CORONAVIRUS DATA FROM FOUR CLINICAL TRIALS OF MASKS AND RESPIRATORS	Review	Australia	C Raina MacIntyre, et al.	<a href="https://www.sciencedirect.com/science/article/pii/S1201971220303994">https://www.sciencedirect.com/science/article/pii/S1201971220303994</a>	NA	PPE	Level of protection conferred by masks and respirators for common coronavirus.
29-May-20	The Lancet Rheumatology	Anakinra for severe forms of COVID-19: a cohort study	Cohort study	France	Huet et al.	<a href="https://www.thelancet.com/journals/lanrhe/article/PIIS2665-9913(20)30164-8/fulltext">https://www.thelancet.com/journals/lanrhe/article/PIIS2665-9913(20)30164-8/fulltext</a>	NA	Anakinra	Use of anakinra in patients who were admitted to hospital for severe forms of COVID-19
22-May-20	The Lancet	Safety, tolerability, and immunogenicity of a recombinant adenovirus type-5 vectored COVID-19 vaccine: a dose-escalation, open-label, non-randomised, first-in-human trial	CT	China	Feng-Cai Zhu et al.	<a href="https://www.thelancet.com/journals/lancet/article/PIIS0140-6736(20)31208-3/fulltext">https://www.thelancet.com/journals/lancet/article/PIIS0140-6736(20)31208-3/fulltext</a>	NCT04313127	Ad5 vectored COVID-19 vaccine	Are different doses of Ad5 vectored COVID-19 vaccine safe and immunogenic?
29-May-20	Preprint	A comparative study on the time to achieve negative nucleic acid testing and hospital stays between Danoprevir and Lopinavir/Ritonavir in the treatment of patients with COVID-19	Comparative study	China	Zhicheng Zhang et al.	<a href="https://www.researchsquare.com/article/rs-28376/v1.pdf">https://www.researchsquare.com/article/rs-28376/v1.pdf</a>	NA	Danoprevir and lopinavir/ritonavir	Antiviral effect of danoprevir or lopinavir/ritonavir in COVID-19 patients
01-Jun-20	Current Medical Science	Potential of Arbidol for Post-exposure Prophylaxis of COVID-19 Transmission—A Preliminary Report of a Retrospective Cohort Study	Observational study	China	Zhang et al.	<a href="https://link.springer.com/journal/1101/10.1007/s11596-020-2203-3.pdf">https://link.springer.com/journal/1101/10.1007/s11596-020-2203-3.pdf</a>	NA	Arbidol	Is Arbidol effective in prophylaxis of COVID?
26-May-20	Advanced Journal of Emergency Medicine	Interferon beta-1a as a Candidate for COVID-19 Treatment; An Open-label Single-Arm Clinical Trial	CT	Iran	Payandemehr et al.	<a href="http://ajem.tums.ac.ir/index.php/ajem/article/view/454/307">http://ajem.tums.ac.ir/index.php/ajem/article/view/454/307</a>	IRCT20150914024017N1	Interferon beta1a	Is interferon beta1a effective in treatment of COVID-19?
13 July 2020	Antiviral Agents	Efficacy and safety of Interferon beta-1a in treatment of severe COVID-19: A randomized clinical trial	RCT	Iran	Davoudi-Monfared et al.	<a href="https://aac.asm.org/content/early/2020/07/08/AAC.01061-20">https://aac.asm.org/content/early/2020/07/08/AAC.01061-20</a>	IRCT20100228003449N28	Interferon beta-1a	To evaluate efficacy and safety of IFN β-1a in patients with severe COVID-19.
30/05/2020	medRxiv	A serological assay to detect SARS-CoV-2 antibodies in at-home collected fingerprick dried blood spots	Clinical Evaluation of diagnostic test	USA	Karp et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.05.29.20116004v2.full.pdf">https://www.medrxiv.org/content/10.1101/2020.05.29.20116004v2.full.pdf</a>	IRB protocol #20180015	Antibody diagnostic test	To develop and clinically evaluate an at-home finger-prick dried blood spot test to detect SARS-CoV-2 antibodies
27/05/2020	medRxiv	Performance evaluation of the point-of-care SAMBA II SARS-CoV-2 Test for detection of SARS-CoV-2	Clinical Evaluation of diagnostic test	UK/USA/South Africa	Assennato et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.05.24.20100990v2.article-info">https://www.medrxiv.org/content/10.1101/2020.05.24.20100990v2.article-info</a>	N/A	Nucleic acid diagnostic test	To assess the analytical and clinical performance of the SAMBA II B3 SARS-CoV-2 Test using panels and clinical samples.
30/05/2020	medRxiv	EasyCOV : LAMP based rapid detection of SARS-CoV-2 in saliva	Clinical Evaluation of diagnostic test	France	L'Helgouach et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.05.30.20117291v1.full.pdf">https://www.medrxiv.org/content/10.1101/2020.05.30.20117291v1.full.pdf</a>	N/A	saliva RT-LAMP diagnostic test	To develop and clinically evaluate a new simple saliva SARS-CoV-2 detection test based on RT-LAMP technology
27/05/2020	medRxiv	Evaluation of performance of two SARS-CoV-2 Rapid whole-blood finger-stick IgM-IgG Combined Antibody Tests	Clinical Evaluation of diagnostic test	France	Prazuck et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.05.27.20112888v1.full.pdf">https://www.medrxiv.org/content/10.1101/2020.05.27.20112888v1.full.pdf</a>	N/A	Antibody rapid diagnostic test	To evaluate the performance of two COVID 19 IgM/IgG Rapid Diagnostic Tests compared to the gold standard, RT-PCR.
29/05/2020	medRxiv	Mortality reduction in 46 severe Covid-19 patients treated with hyperimmune plasma. A proof of concept single arm multicenter interventional trial	proof of concept study	Italy	Perotti et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.05.26.20113373v1.full.pdf">https://www.medrxiv.org/content/10.1101/2020.05.26.20113373v1.full.pdf</a>	NCT 04321421	convalescent plasma	To show the potential efficacy and safety of hyperimmune plasma infusions, obtained from convalescent donors, in COVID-19 patients with respiratory failure.
26/05/2020	medRxiv	Use of High Flow Nasal Therapy to Treat Moderate to Severe Hypoxemic Respiratory Failure in COVID-19	Retrospective analysis	USA	Patel et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.05.22.20109355v1.full.pdf">https://www.medrxiv.org/content/10.1101/2020.05.22.20109355v1.full.pdf</a>		High Flow Nasal Therapy	To analyse the outcomes of COVID-19 patients with moderate-to-severe hypoxemic respiratory failure receiving High Flow Nasal Therapy
22-May-20	The Lancet	Hydroxychloroquine or chloroquine with or without a with or without a macrolide for treatment of COVID-19: a multinational registry analysis	Observational study	USA/Switzerland	Mehra et al.	<a href="https://www.thelancet.com/journals/lancet/article/PIIS0140-6736(20)31180-6/fulltext">https://www.thelancet.com/journals/lancet/article/PIIS0140-6736(20)31180-6/fulltext</a>	NA	Hydroxychloroquine	Are these treatment regimens associated with in-hospital death?
15 May 2020	Frontiers in Immunology	Interferon-α2b Treatment for COVID-19	CT	Canada, China	Qiong Zhou, et al.	<a href="https://www.frontiersin.org/articles/10.3389/fimm.2020.01061/full">https://www.frontiersin.org/articles/10.3389/fimm.2020.01061/full</a>	NA	Interferon-α2b	Is Interferon-α2b efficient in accelerating viral clearance and reducing inflammation markers?
19 May 2020	Clinical Infectious Diseases	Early Short Course Corticosteroids in Hospitalized Patients with COVID-19	Retrospective study	USA	Fadel et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.05.04.20074609v1.full.pdf">https://www.medrxiv.org/content/10.1101/2020.05.04.20074609v1.full.pdf</a>	NCT04374071	corticosteroids	To examine the role of early corticosteroid therapy in patients with moderate to severe COVID-19.
Preprint	medRxiv	Convalescent plasma treatment of severe COVID-19: A matched control study	CT	USA	Sean T. H. Liu, et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.05.20.20102236v1">https://www.medrxiv.org/content/10.1101/2020.05.20.20102236v1</a>	NA	Convalescent plasma	Is convalescent plasma an effective treatment for severe COVID19?
14 May 2020	Lancet	Use of renin-angiotensin-aldosterone system inhibitors and risk of COVID-19 requiring admission to hospital: a case-population study	Case population study	Spain	Francisco J de Abajo, et al.	<a href="https://www.thelancet.com/journals/lancet/article/PIIS0140-6736(20)31030-8/fulltext">https://www.thelancet.com/journals/lancet/article/PIIS0140-6736(20)31030-8/fulltext</a>	EUPAS34437	renin-angiotensin-aldosterone system inhibitors, RAAS	Does use of RAAS predispose patients to severe COVID19?
Preprint	Cardiology Journal	Resuscitation of the patient with suspected/confirmed COVID-19 when wearing personal protective equipment: A randomized multicenter crossover simulation trial	Randomized crossover trial	Poland	Marek Malysz, et al.	<a href="https://journals.viamedica.pl/cardiology_journal/article/view/68336">https://journals.viamedica.pl/cardiology_journal/article/view/68336</a>	NA	PPE	To evaluate various methods of chest compressions in patients with suspected/confirmed SARS-CoV-2 infection conducted by medical students wearing full personal protective equipment (PPE) for aerosol generating procedures (AGP).
15 May 2020	NEJM	Compassionate Use of Remdesivir in Covid-19 (Grein et al. - NEJM)	Letters to the editor	International	Stefano Bonovas, Gerd Fätkenheuer, Christian Hoffman, Jiaquan Wu	<a href="https://www.nejm.org/doi/full/10.1056/NEJMc2.015312">https://www.nejm.org/doi/full/10.1056/NEJMc2.015312</a>	NA	Remdesivir	Re-analysis of cumulative incidence of improvement, patient classification
Preprint	Clinical Microbiology and Infection	A multiple center clinical evaluation of an ultra-fast single-tube assay for SARS-CoV-2 RNA	Diagnostic clinical evaluation	China	Ji Wang, et al.	<a href="https://www.clinicalmicrobiologyandinfection.com/action/showPdf?pii=S1198-743X%2820%2930284-6">https://www.clinicalmicrobiologyandinfection.com/action/showPdf?pii=S1198-743X%2820%2930284-6</a>	NA	Diagnostic test	To evaluate the performance of an ultra-fast single-tube nucleic acid isothermal amplification detection assay for SARS-CoV-2 RNA
Preprint	Journal of Clinical Virology	A combined oropharyngeal/nas swab is a suitable alternative to nasopharyngeal swabs for the detection of SARS-CoV-2	Diagnostic assay comparison	Canada	Jason J., et al.	<a href="https://www.sciencedirect.com/science/article/pii/S1386653220301840">https://www.sciencedirect.com/science/article/pii/S1386653220301840</a>	NA	Oropharyngeal/nas and nasopharyngeal swabs	Are combined oropharyngeal/nas swab is a suitable alternative for nasopharyngeal swabs for COVID19 sample collection?
19 May 2020	Nature	Artificial intelligence-enabled rapid diagnosis of patients with COVID-19	Diagnostic assay	Chinq	Xueyan Mei, et al.	<a href="https://www.nature.com/articles/s41591-020-0931-3">https://www.nature.com/articles/s41591-020-0931-3</a>	N/A	AI diagnostic algorithm	Can an AI model rapidly identify SARS-CoV-2 infection based on initial chest CT scans and associated clinical information of COVID-19 (+) patients in the early stage?

23-May	Medrxiv	Effects of a DPP-4 inhibitor and RAS blockade on clinical outcomes of patients with diabetes and COVID-19	retrospective analysis	South Korea	Sang Youl Rhee et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.05.20.20108555v1.full.pdf">https://www.medrxiv.org/content/10.1101/2020.05.20.20108555v1.full.pdf</a>	N/A	dipeptidyl peptidase-4 (DPP-4), renin-angiotensin system (RAS) blockade	To investigate the effects of dipeptidyl peptidase-4 (DPP-4) and renin-angiotensin system (RAS) blockade on the short-term clinical outcomes of COVID-19
22-May	Medrxiv	Do COVID-19 patients admitted to the ICU require anti-Pneumocystis jirovecii prophylaxis?	prospective cohort study	France	Alanio	<a href="https://www.medrxiv.org/content/10.1101/2020.05.18.20105296v1.full.pdf">https://www.medrxiv.org/content/10.1101/2020.05.18.20105296v1.full.pdf</a>	N/A	anti-Pneumocystis jirovecii prophylaxis	To investigate the prevalence of Pneumocystis jirovecii in COVID-19 patients admitted to the ICU
23/05/2020	Medrxiv	Development and clinical application of a rapid and sensitive loop-mediated isothermal amplification test for SARS-CoV-2 infection	Diagnostic	China	Hu et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.05.20.20108530v2">https://www.medrxiv.org/content/10.1101/2020.05.20.20108530v2</a>	N/A	RT-LAMP Diagnostic test	To develop and validate a novel RT-LAMP assay capable of detecting SARS-CoV-2 RNA for potential use in centralized facilities and point-of-care settings
22 May 2020	Medrxiv	Use of siltuximab in patients with COVID-19 pneumonia requiring ventilatory support	retrospective analysis	Italy, UK	Gritti et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.04.01.20048561v3.full.pdf">https://www.medrxiv.org/content/10.1101/2020.04.01.20048561v3.full.pdf</a>	NCT04322188	siltuximab	Efficacy of siltuximab for treatment of severe patients with COVID-19
22-May	Medrxiv	Almitrine as a non ventilatory strategy to improve intrapulmonary shunt in COVID-19 patients	Case control series	France	Lossier et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.05.18.20105502v1.full.pdf">https://www.medrxiv.org/content/10.1101/2020.05.18.20105502v1.full.pdf</a>	N/A	Almitrine	To test if intravenous almitrine can improve hypoxia in mechanically ventilated COVID-19 patients.
12-May	MedRxiv	Remdesivir in treatment of COVID-19: A systematic benefit-risk assessment	Systematic benefit-risk assessment	UK	Davies et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.05.07.20093898v1.full.pdf">https://www.medrxiv.org/content/10.1101/2020.05.07.20093898v1.full.pdf</a>	N/A	Remdesivir	To examine the benefit-risk profile of remdesivir in COVID-19 patients compared to standard of care, placebo or other treatments.
15-May	MedRxiv	Assisting Scalable Diagnosis Automatically via CT Images in the Combat against COVID-19	Application of deep learning to retrospective analysis	China	Liu et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.05.11.20093732v1.full.pdf">https://www.medrxiv.org/content/10.1101/2020.05.11.20093732v1.full.pdf</a>	N/A	Chest CT	To test the hypothesis that application of deep learning to 3D chest CT images could help identify COVID-19 infections.
15-May	MedRxiv	The effects of ARBs, ACEIs and statins on clinical outcomes of COVID-19 infection among nursing home residents	retrospective analysis	Belgium	De Spiegeleer et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.05.11.20096347v1.full.pdf">https://www.medrxiv.org/content/10.1101/2020.05.11.20096347v1.full.pdf</a>	N/A	ARBs, ACEI, Statins	To explore the association of ACEI/ARB and/or statins with clinical manifestations in COVID-19 infected older people residing in nursing homes.
14-May	MedRxiv	Early Safety Indicators of COVID-19 Convalescent Plasma in 5,000 Patients	expanded access program	USA	Joyner et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.05.12.20099879v1.full.pdf">https://www.medrxiv.org/content/10.1101/2020.05.12.20099879v1.full.pdf</a>	NCT04338360	Convalescent plasma	To analyse key safety metrics following transfusion of convalescent plasma in patients with severe or life-threatening COVID-19
15-May	MedRxiv	Nebulized in-line endotracheal dornase alfa and albuterol administered to mechanically ventilated COVID-19 patients: A case series	retrospective case study	USA	Weber et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.05.13.20087734v1.full.pdf">https://www.medrxiv.org/content/10.1101/2020.05.13.20087734v1.full.pdf</a>	NCT04387786	Nebulized in-line endotracheal Dornase Alfa	To report the clinical course, safety, and outcomes after nebulized in-line endotracheal dornase alfa treatment for intubated and mechanically ventilated patients with COVID-19.
13-May	MedRxiv	Treatment of COVID-19 Patients with Convalescent Plasma in Houston, Texas	Case series	USA	Salazar et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.05.08.20095471v1.full.pdf">https://www.medrxiv.org/content/10.1101/2020.05.08.20095471v1.full.pdf</a>	N/A	Convalescent plasma	To determine if transfusion of convalescent plasma is a safe treatment option for those with severe COVID-19 disease.
30 April 2020	Journal of Virus Eradication	A review of the safety of favipiravir – a potential treatment in the COVID-19 pandemic?	Systematic review	UK	Victoria Pilkington, et al.	<a href="http://viruseradication.com/journal-details/A_review_of_the_safety_of_favipiravir_%E2%80%93_a_potential_treatment_in_the_COVI_D-19_pandemic%5E/">http://viruseradication.com/journal-details/A_review_of_the_safety_of_favipiravir_%E2%80%93_a_potential_treatment_in_the_COVI_D-19_pandemic%5E/</a>	NA	Favipiravir	Safety of favipiravir
12 May 2020	Basic Research in Cardiology	Allogeneic cardiosphere-derived cells (CAP-1002) in critically ill COVID-19 patients: compassionate-use case series	Case series	USA	Siddharth Singh, et al.	<a href="https://link.springer.com/article/10.1007/s00395-020-0795-1">https://link.springer.com/article/10.1007/s00395-020-0795-1</a>	NA	CAP-1002	To evaluate the safety and impact of administration of allogeneic CDCs, formulated for intravenous (IV) infusion as CAP-1002, in critically ill COVID-19 patients.
Preprint	Canadian Medical Association Journal	Efficacy and safety of corticosteroids in COVID-19 based on evidence for COVID-19, other coronavirus infections, influenza, community-acquired pneumonia and acute respiratory distress syndrome: a systematic review and meta-analysis	Systematic Review ; Meta-analysis	International Collaboration	Zhikang Ye, et al.	<a href="https://www.cmaj.ca/content/cmaj/early/2020/05/14/cmaj.200645.full.pdf">https://www.cmaj.ca/content/cmaj/early/2020/05/14/cmaj.200645.full.pdf</a>	NA	Corticosteroids	Assess efficacy and safety of corticosteroids for COVID19, SARS, MERS, CAP, ARDS and influenza
1 May 2020	Clinical and Experimental Rheumatology	Pilot prospective open, single-arm multicentre study on off-label use of tocilizumab in patients with severe COVID-19	CT	Italy	S. Sciascia, et al.	<a href="https://www.clinexp.rheumatol.org/abstract.asp?a=15723">https://www.clinexp.rheumatol.org/abstract.asp?a=15723</a>	NA	Tocilizumab	To assess the efficacy and safety of tocilizumab in severe COVID19 patients
23 April 2020	BMJ Global Health	Facial protection for healthcare workers during pandemics: a scoping review	Scoping Review	USA	Laura R Garcia Godoy,	<a href="https://gh.bmj.com/content/5/5/e002553">https://gh.bmj.com/content/5/5/e002553</a>	NA	Facial protection	Efficacy of different facial protection devices, especially in light of N95 respirator shortages
Preprint	Pharmacological Research	Compassionate remdesivir treatment of severe Covid-19 pneumonia in intensive care unit (ICU) and Non-ICU patients: Clinical outcome and differences in post treatment hospitalisation status	Case series	Italy	Spinello Antinori, et al.	<a href="https://pubmed.ncbi.nlm.nih.gov/32407959/">https://pubmed.ncbi.nlm.nih.gov/32407959/</a>	NA	Remdesivir	Comparative efficacy of remdesivir in ICU and non-ICU patients
15 April 2020	Cochrane Library	Personal protective equipment for preventing highly infectious diseases due to exposure to contaminated body fluids in healthcare staff	Systematic Review	International Collaboration	Verbeek JH, et al.	<a href="https://www.cochranellibrary.com/cdsr/doi/10.1002/14651858.CD011621.pub4/full">https://www.cochranellibrary.com/cdsr/doi/10.1002/14651858.CD011621.pub4/full</a>	NA	PPE	To evaluate which type of full-body PPE and which method of donning or doffing PPE have the least risk of contamination or infection for HCW, and which training methods increase compliance with PPE protocols.
14 May 2020	Cochrane Library	Convalescent plasma or hyperimmune immunoglobulin for people with COVID-19: a rapid review	Systematic Review	Netherlands	Valk SJ, et al.	<a href="https://www.cochranellibrary.com/cdsr/doi/10.1002/14651858.CD013600/full">https://www.cochranellibrary.com/cdsr/doi/10.1002/14651858.CD013600/full</a>	NA	Convalescent Plasma	To assess whether convalescent plasma or hyperimmune immunoglobulin transfusion is elective and safe in the treatment of people with COVID-19.
Preprint	Journal of Allergy and Clinical Immunology	Safety and efficacy of early high-dose IV anakinra in severe COVID-19 lung disease	Case series	Italy	Emanuele Pontali, et al.	<a href="https://www.jacionline.org/article/S0091-6749(20)30634-5/fulltext">https://www.jacionline.org/article/S0091-6749(20)30634-5/fulltext</a>	NA	Anakinra	Preliminary assessment of the safety and efficacy of anakinra in severe/moderate COVID19
09 May 2020	Microorganisms	Tocilizumab for Treatment of Severe COVID-19 Patients: Preliminary Results From SMAtteo Covid19 Registry (SMACORE)	Observational study	Italy	Colaneri et al.	<a href="https://pubmed.ncbi.nlm.nih.gov/32397399/">https://pubmed.ncbi.nlm.nih.gov/32397399/</a>	NA	tocilizumab	What is the role of tocilizumab therapy in severe COVID-19 patients?
14 May 2020	BMJ	Hydroxychloroquine in Patients With Mainly Mild to Moderate Coronavirus Disease 2019: Open Label, Randomised Controlled Trial	RCT	China	Tang et al.	<a href="https://www.bmj.com/content/369/bmj.m1849">https://www.bmj.com/content/369/bmj.m1849</a>	ChiCTR2000029868	Hydroxychloroquine	Is hydroxychloroquine effective and safe in COVID-19 patients?
05 May 2020	BMJ	Clinical efficacy of hydroxychloroquine in patients with covid-19 pneumonia who require oxygen: observational comparative study using routine care data	Observational study	France	Mahévas et al.	<a href="https://www.bmj.com/content/369/bmj.m1844">https://www.bmj.com/content/369/bmj.m1844</a>	NA	Hydroxychloroquine	Is hydroxychloroquine effective?
08 May 2020	MedRxiv	Detection of SARS-CoV-2 antibodies using commercial assays and seroconversion patterns in hospitalized patients	Clinical Evaluation of diagnostic test	France	Tuailion et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.05.04.20090027v3.full.pdf">https://www.medrxiv.org/content/10.1101/2020.05.04.20090027v3.full.pdf</a>	NCT04347850	Antibody diagnostic test	To assess and compare the performance of 6 rapid tests and 3 ELISAs for the diagnosis of COVID-19, and to explore seroconversions in subjects with confirmed COVID-19
08 May 2020	MedRxiv	ddPCR: a more sensitive and accurate tool for SARS-CoV-2 detection in low viral load specimens	Clinical evaluation of diagnostic test	China	Suo et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.02.29.20029439v2.full.pdf">https://www.medrxiv.org/content/10.1101/2020.02.29.20029439v2.full.pdf</a>		PCR diagnostic test	To compare the dynamic range and the limit of detection (LOD) between ddPCR and RT-PCR
05 May 2020	MedRxiv	Clinical Outcomes and Plasma Concentrations of Baloxavir Marboxil and Favipiravir in COVID-19 Patients: an Exploratory Randomized, Controlled Trial	RCT	China	Yan Lou et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.04.29.20085761v1.full.pdf">https://www.medrxiv.org/content/10.1101/2020.04.29.20085761v1.full.pdf</a>	ChiCTR2000029544	baloxavir marboxil, favipiravir	To evaluate the efficacy and safety of adding baloxavir marboxil or favipiravir to the current standard antiviral treatment
11 May 2020	MedRxiv	Celebrex adjuvant therapy on COVID-19: An experimental study	Clinical trial	China	Wenxin Hong et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.05.05.20077610v1.full.pdf">https://www.medrxiv.org/content/10.1101/2020.05.05.20077610v1.full.pdf</a>	ChiCTR2000031630	Celebrex (Celecoxib)	To determine if excessive PGE2 may be a key in the pathology of COVID-19 and whether COX-2 is a critical target for therapy.

05 May 2020	MedRxiv	COVID-19 Related Mortality: Is the BCG Vaccine Truly Effective?	retrospective analysis of International mortality rates	Mexico	Paredes et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.05.01.20087411v1.full.pdf">https://www.medrxiv.org/content/10.1101/2020.05.01.20087411v1.full.pdf</a>	N/A	BCG	To take into account the possible confounders when analyzing the difference in mortality rates between countries with and without history of a universal BCG vaccination program.
08 May 2020	MedRxiv	Hydroxychloroquine and azithromycin plus zinc vs hydroxychloroquine and azithromycin alone: outcomes in hospitalized COVID-19 patients	retrospective observational study	USA	Carlucci et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.05.02.20080036v1.full.pdf">https://www.medrxiv.org/content/10.1101/2020.05.02.20080036v1.full.pdf</a>	N/A	zinc sulfate (as add-on therapy to hydroxychloroquine and azithromycin)	To determine if zinc sulfate added to hydroxychloroquine and azithromycin may improve outcomes among hospitalized patients.
05 May 2020	MedRxiv	Efficacy of face mask in preventing respiratory virus transmission: a systematic review and meta-analysis	Systematic review and meta-analysis	China	Liang et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.04.03.20051649v3.full.pdf">https://www.medrxiv.org/content/10.1101/2020.04.03.20051649v3.full.pdf</a>	N/A	facemask	To evaluate the effectiveness of the use of masks to prevent laboratory-confirmed respiratory virus transmission.
5 May 2020	Nature	Impact of corticosteroid therapy on outcomes of persons with SARS-CoV-2, SARS-CoV, or MERS-CoV infection: a systematic review and meta-analysis	Meta-analysis	China	Huan Li, et al.	<a href="https://www.nature.com/articles/s41375-020-0848-3.pdf">https://www.nature.com/articles/s41375-020-0848-3.pdf</a>	NA	Corticosteroids	Evaluate the safety and efficacy of corticosteroids on SARS-CoV-2, SARS-CoV, and MERS-CoV infections
Preprint	Journal of Biomedical and Health Informatics	In Silico Trial to test COVID-19 candidate vaccines: a case study with UISS platform	Giulia Russo, et al.	Italy	Giulia Russo, et al.	<a href="https://www.biorxiv.org/content/10.1101/2020.05.06.080630v1.full.pdf">https://www.biorxiv.org/content/10.1101/2020.05.06.080630v1.full.pdf</a>	NA	Vaccine	Can an efficient in-silico trial base be developed, and can it evaluate vaccine candidates?
Preprint	Nature	Effect of non-pharmaceutical interventions to contain COVID-19 in China	Mathematical Modeling	China, UK, US	Shengjie Lai, et al.	<a href="https://www.nature.com/articles/s41586-020-2293-x_reference.pdf">https://www.nature.com/articles/s41586-020-2293-x_reference.pdf</a>	NA	Non-pharmaceutical interventions	Were non-pharmaceutical interventions effective in reducing the number of cases and speed of the epidemic in mainland China?
29 April 2020	Autoimmunity Reviews	Continuous hydroxychloroquine or colchicine therapy does not prevent infection with SARS-CoV-2: Insights from a large healthcare database analysis	Retrospective analysis	Israel	Omer Gendelman, et al.	<a href="https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7198406/">https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7198406/</a>	NA	Colchicine, hydroxychloroquine	Protective role of colchicine or hydroxychloroquine for COVID-19 infection
Preprint	Autoimmunity Reviews	Tocilizumab for the treatment of severe COVID-19 pneumonia with hyperinflammatory syndrome and acute respiratory failure: A single center study of 100 patients in Brescia, Italy	Observational study	Italy	Paola Toniati, et al.	<a href="https://www.sciencedirect.com/science/article/abs/pii/S1568997220301300">https://www.sciencedirect.com/science/article/abs/pii/S1568997220301300</a>	NA	Tocilizumab	Is tocilizumab effective for improving respiratory condition in severe COVID-19?
April 29 2020	PNAS	Effective treatment of severe COVID-19 patients with tocilizumab	Retrospective analysis	China	Xiaoling Xua, et al.	<a href="https://www.pnas.org/content/early/2020/04/27/2005615117.full.pdf">https://www.pnas.org/content/early/2020/04/27/2005615117.full.pdf</a>		Tocilizumab	Efficacy and safety of tocilizumab in severe COVID-19
08 May 2020	The Lancet	Triple combination of interferon beta-1b, lopinavir-ritonavir, and ribavirin in the treatment of patients admitted to hospital with COVID-19: an open-label, randomised, phase 2 trial	RCT	Hong Kong	Hung et al.	<a href="https://www.thelancet.com/journals/lancet/article/PIIS0140-6736(20)31042-4/fulltext">https://www.thelancet.com/journals/lancet/article/PIIS0140-6736(20)31042-4/fulltext</a>	NCT04276688	interferon beta-1b, lopinavir-ritonavir, ribavirin	The efficacy and safety of combination
07 May 2020	The Lancet Rheumatology	Interleukin-1 blockade with high-dose anakinra in patients with COVID-19, acute respiratory distress syndrome, and hyperinflammation: a retrospective cohort study	Observational study	Italy	Cavalli et al.	<a href="https://www.thelancet.com/journals/lanrhe/article/PIIS2665-9913(20)30127-2/fulltext">https://www.thelancet.com/journals/lanrhe/article/PIIS2665-9913(20)30127-2/fulltext</a>	NCT04318366	anakinra	Efficacy of anakinra
19 April 2020	Journal of Clinical Virology	Supportive Treatment with Tocilizumab for COVID-19: A Systematic Review	Systematic Review	USA	Alzghari et al.	<a href="https://www.sciencedirect.com/science/article/pii/S1386653220301220?via%3Dihub">https://www.sciencedirect.com/science/article/pii/S1386653220301220?via%3Dihub</a>	NA	NA	Outcomes associated with TCZ treatment in patients with COVID-19
25 April 2020	Microbiology and	Umifenovir treatment is not associated with improved outcomes in patients with coronavirus disease 2019: A retrospective study	Retrospective CT	China	N. Lian, et al.	<a href="https://www.clinicalmicrobiologyandinfection.com/article/S1198-743X(20)30234-2/fulltext">https://www.clinicalmicrobiologyandinfection.com/article/S1198-743X(20)30234-2/fulltext</a>	NA	Umifenovir (Arbidol)	Effectiveness and safety of umifenovir for moderate COVID-19
16 April 2020	Journal of Infectious Diseases	Baricitinib therapy in COVID-19: A pilot study on safety and clinical impact	CT	Italy	Fabrizio Cantini, et al.	<a href="https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7177073/">https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7177073/</a>	NA	Baricitinib	Is Baricitinib an effective drug for clinical and respiratory improvement in moderate COVID-19 patients?
04 May 2020	medRxiv	Mandated Bacillus Calmette-Guérin (BCG) vaccination predicts flattened curves for the spread of COVID-19	growth curve analysis	USA	Berg et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.04.05.20054163v5.full.pdf">https://www.medrxiv.org/content/10.1101/2020.04.05.20054163v5.full.pdf</a>	N/A	BCG vaccination	Does BCG vaccination serve as a protective factor against COVID-19
22 April 2020	medRxiv	Does TB Vaccination Reduce COVID-19 Infection? No Evidence from a Regression Discontinuity Analysis	regression analysis based on observational data	USA/ Japan	Fuku et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.04.13.20064287v1.full.pdf">https://www.medrxiv.org/content/10.1101/2020.04.13.20064287v1.full.pdf</a>	N/A	BCG vaccination	To assess the effectiveness of BCG vaccination against COVID-19
29 April 2020	medRxiv	A Novel Protein Drug, Novaferon, as the Potential Antiviral Drug for COVID-19	RCT	China	Fang Zheng et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.04.24.20077235v1.full.pdf">https://www.medrxiv.org/content/10.1101/2020.04.24.20077235v1.full.pdf</a>	ChiCTR2000029496	Novaferon, Lopinavir/Ritonavir	To determine the antiviral effects of Novaferon for COVID-19
01 May 2020	medRxiv	Review and methodological analysis of trials currently testing treatment and prevention options for the novel coronavirus disease (COVID-19) globally.	Systematic review	Greece, France	Fragkou et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.04.27.20080226v1.full.pdf">https://www.medrxiv.org/content/10.1101/2020.04.27.20080226v1.full.pdf</a>	N/A	all treatment and preparation options for covid-19	To summarise the data on all currently tested treatment and prevention options for COVID-19, and to methodologically analyse and evaluate the quality of the registered interventional studies
01 May 2020	medRxiv	Hydroxychloroquine application is associated with a decreased mortality in critically ill patients with COVID-19	retrospective analysis	China	Bo Yu et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.04.27.20073379v1.full.pdf">https://www.medrxiv.org/content/10.1101/2020.04.27.20073379v1.full.pdf</a>	N/A	Hydroxychloroquine	Could hydroxychloroquine administration be beneficial in the treatment of critically ill patients with COVID-19?
29 April 2020	medRxiv	Hypertension and Renin-Angiotensin-Aldosterone System Inhibitors in Patients with Covid-19	retrospective analysis	USA	Ip et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.04.24.20077388v1.full.pdf">https://www.medrxiv.org/content/10.1101/2020.04.24.20077388v1.full.pdf</a>	N/A	anti-hypertensive agents	To determine if anti-hypertensive drugs are harmful or beneficial to Covid-19 patients with hypertension
29 April 2020	medRxiv	Lopinavir-ritonavir alone or combined with arbidol in the treatment of 73 hospitalized patients with COVID-19: a pilot retrospective study	retrospective analysis	China	Xiu Lan et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.04.25.20079079v1.full.pdf">https://www.medrxiv.org/content/10.1101/2020.04.25.20079079v1.full.pdf</a>	N/A	lopinavir/ritonavir, arbidol	To evaluate the antiviral efficacy of lopinavir/ritonavir alone or combined with arbidol in the treatment of hospitalized patients with COVID-19.
04 May 2020	medRxiv	Preliminary evidence from a multicenter prospective observational study of the safety and efficacy of chloroquine for the treatment of COVID-19	prospective observational study	China	Mingxing Huang et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.04.26.20081059v1.full.pdf">https://www.medrxiv.org/content/10.1101/2020.04.26.20081059v1.full.pdf</a>	(ChiCTR2000029609)	Chloroquine	To assess the efficacy and safety of chloroquine with different doses in COVID-19
01 May 2020	medRxiv	QT Interval Prolongation and Torsade De Pointes in Patients with COVID-19 treated with Hydroxychloroquine/Azithromycin	retrospective analysis	USA/Italy	Chorin et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.04.27.20074583v1.full.pdf">https://www.medrxiv.org/content/10.1101/2020.04.27.20074583v1.full.pdf</a>	N/A	Hydroxychloroquine, Azithromycin	To evaluate the effects of Hydroxychloroquine/Azithromycin on the QT interval and the arrhythmic risk in patients with SARS-CoV-2 infection.
01 May 2020	medRxiv	Performance & Quality Evaluation of Marketed COVID-19 RNA Detection Kits	diagnostic kit evaluation	China	David Surace Kapitula et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.04.25.2008002v1.full.pdf">https://www.medrxiv.org/content/10.1101/2020.04.25.2008002v1.full.pdf</a>	N/A	qPCR Diagnostic test	To assess and compare all nucleic acid-based COVID-19 testing kits from quality control perspectives
29 April 2020	medRxiv	Risk of drug-induced Long QT Syndrome associated with the use of repurposed COVID-19 drugs: a systematic review	Systematic review	USA/Canada	Michaud et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.04.21.20066761v2.full.pdf">https://www.medrxiv.org/content/10.1101/2020.04.21.20066761v2.full.pdf</a>	N/A	azithromycin, chloroquine, favipiravir, hydroxychloroquine, lopinavir/ritonavir, remdesivir	To determine the relative risk of drug-induced Long QT Syndrome (LQTS) associated with SARS-CoV-2 (COVID-19) proposed repurposed drugs compared to well-known torsadogenic compounds
29 April 2020	medRxiv	Concentration-dependent mortality of chloroquine in overdose	retrospective analysis, Bayesian logistic regression, pharmacodynamic modelling	Thailand/ UK/ France	Watson et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.04.24.20078303v1.full.pdf">https://www.medrxiv.org/content/10.1101/2020.04.24.20078303v1.full.pdf</a>	N/A	Chloroquine	To evaluate the risk of overdose for chloroquine treatment or prevention regimens currently being trialled in COVID-19



29 April 2020	The Lancet	Remdesivir in adults with severe COVID-19: a randomised, double-blind, placebo-controlled, multicentre trial	RCT	China	Wang et al.	<a href="https://www.thelancet.com/journals/lancet/article/PIIS0140-6736(20)31022-9/fulltext">https://www.thelancet.com/journals/lancet/article/PIIS0140-6736(20)31022-9/fulltext</a>	NCT04257656	remdesivir	Effect of remdesivir in COVID-19 patients
02 May 2020	Academic Emergency Medicine	A Rapid Systematic Review of Clinical Trials Utilizing Chloroquine and Hydroxychloroquine as a Treatment for COVID-19.	Systematic review	USA	Chowdhury et al.	<a href="https://onlinelibrary.wiley.com/doi/abs/10.1111/ajem.14005">https://onlinelibrary.wiley.com/doi/abs/10.1111/ajem.14005</a>	NA	NA	Analyze current literature to find the role of CQ and HCQ
20 April 2020	medRxiv	Clinical Efficacy of Intravenous Immunoglobulin Therapy in Critical Patients with COVID-19: A Multicenter Retrospective Cohort Study	retrospective cohort study	China	Ziyun Shao et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.04.11.20061739v2.full.pdf">https://www.medrxiv.org/content/10.1101/2020.04.11.20061739v2.full.pdf</a>	N/A	intravenous immunoglobulin (IVIG) therapy	To determine the clinical efficacy of intravenous immunoglobulin (IVIG) therapy in COVID-19 patients.
22 April 2020	Clin Pharmacol Ther.	Chloroquine dosing recommendations for pediatric COVID-19 supported by modeling and simulation.	pharmacokinetic (PBPK) model	Netherlands	Verscheijden et al.	<a href="https://ascpt.onlinelibrary.wiley.com/doi/10.1002/cpt.1864">https://ascpt.onlinelibrary.wiley.com/doi/10.1002/cpt.1864</a>	N/A	Chloroquine	To establish best-evidence to inform pediatric Chloroquine doses for children infected with COVID-19
24 April 2020	JAMA Network Open	Effect of High vs Low Doses of Chloroquine Diphosphate as Adjunctive Therapy for Patients Hospitalized With Severe Acute Respiratory Syndrome Coronavirus 2 (SARS-CoV-2) Infection: A Randomized Clinical Trial.	RCT	Brazil	Borba et al.	<a href="https://jamanetwork.com/journals/jamanetworkopen/fullarticle/2765499">https://jamanetwork.com/journals/jamanetworkopen/fullarticle/2765499</a>	NCT04323527	Chloroquine	To evaluate the safety & efficacy of different dosages of chloroquine in patients with severe COVID-19.
21 April 2020	medRxiv	A Randomized, Single-blind, Group sequential, Active-controlled Study to evaluate the clinical efficacy and safety of $\alpha$ -Lipoic acid for critically ill patients with coronavirus disease 2019 (COVID-19)	RCT	China	Zhong et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.04.15.20066266v1.full.pdf">https://www.medrxiv.org/content/10.1101/2020.04.15.20066266v1.full.pdf</a>	ChiCTR2000029851	$\alpha$ -Lipoic acid (ALA)	To evaluate the clinical efficacy and safety of $\alpha$ -Lipoic acid (ALA) for critically ill patients with COVID-19.
22 April 2020	medRxiv	Effectiveness and Safety of Glucocorticoids to Treat COVID-19: A Rapid Review and Meta-Analysis	Rapid review and meta-analysis	China	Shuya Lu et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.04.17.20064469v1">https://www.medrxiv.org/content/10.1101/2020.04.17.20064469v1</a>	N/A	Glucocorticoids	To systematically retrieve and summarize the current evidence of the effectiveness and safety of glucocorticoid therapy for patients with COVID-19
26 April 2020	MedRxiv	A systematic review of Anakinra, Tocilizumab, Sarilumab and Siltuximab for coronavirus-related infections	Systematic review	UK	Khan et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.04.23.20076612v1.full.pdf">https://www.medrxiv.org/content/10.1101/2020.04.23.20076612v1.full.pdf</a>	N/A	Anakinra, Tocilizumab, Sarilumab, Siltuximab	To assess the effectiveness of specific interleukin-1 and -6 inhibitors for the treatment of coronavirus-related infections.
13 April 2020	Press release	Southern California Patients Treated with Leronlimab for COVID-19 under Emergency IND	Preliminary results from clinical trial	USA	CytoDyn INC.	<a href="https://www.cytodyn.com/newsroom/press-releases/detail/415/southern-california-patients-treated-with-leronlimab-for">https://www.cytodyn.com/newsroom/press-releases/detail/415/southern-california-patients-treated-with-leronlimab-for</a>	NA	leronlimab	Could leronlimab be effective?
28 February 2020	Aging and Disease	Transplantation of ACE2- Mesenchymal Stem Cells Improves the Outcome of Patients with COVID-19 Pneumonia	CT	China	Leng et al.	<a href="http://dx.doi.org/10.14336/AD.2020.0228">http://dx.doi.org/10.14336/AD.2020.0228</a>	ChiCTR2000029990	ACE2-mesenchymal stem cell	Efficacy of MSC transplantation in COVID patients
26 March 2020	Journal of Medical Virology	Tocilizumab treatment in COVID-19: a single center experience	Observational study	China	Luo et al.	<a href="https://onlinelibrary.wiley.com/doi/full/10.1002/jmv.25801">https://onlinelibrary.wiley.com/doi/full/10.1002/jmv.25801</a>	NA	tocilizumab	What are treatment responses of TCZ in the COVID-19 patients?
17 April 2020	Circulation Research	Association of Inpatient Use of Angiotensin Converting Enzyme Inhibitors and Angiotensin II Receptor Blockers with Mortality Among Patients With Hypertension Hospitalized With COVID-19	Observational study	China	Zhang et al.	<a href="https://www.ahajournal.org/doi/10.1161/CIRCRESAHA.120.317134">https://www.ahajournal.org/doi/10.1161/CIRCRESAHA.120.317134</a>	NA	Angiotensin-converting enzyme inhibitors (ACEIs) and Angiotensin receptor blockers (ARBs)	To determine the association between in-hospital use of ACEI/ARB and all-cause mortality in COVID-19 patients with hypertension
23 April 2020	JAMA	Association of Renin-Angiotensin System Inhibitors With Severity or Risk of Death in Patients With Hypertension Hospitalized for Coronavirus Disease 2019 (COVID-19) infection in Wuhan, China	Case series	China	Juy Li, et al	<a href="https://jamanetwork.com/journals/jamacardiolo/fullarticle/2765049">https://jamanetwork.com/journals/jamacardiolo/fullarticle/2765049</a>	NA	Angiotensin-converting enzyme inhibitors (ACEIs) and Angiotensin receptor blockers (ARBs)	Asses the association between ACEIs/ARBs and severity of illness and mortality in patients with hypertension hospitalized for COVID-19 infection.
PrePrint	Acta Pharmaceutica Sinica B	Potential therapeutic effects of dipyrindamole in the severely ill patients with COVID-19	RCT	China	Xiaoyan Liu, et al.	<a href="https://www.sciencedirect.com/science/article/pii/S2211383520305529">https://www.sciencedirect.com/science/article/pii/S2211383520305529</a>	NA	Dipyridamole	Is treatment with dipyridamol clinically effective in severely ill COVID19 patients?
18 April 2020	medRxiv	Benefits and Risks of Chloroquine and Hydroxychloroquine in The Treatment of Viral Diseases: A Meta-Analysis of Placebo Randomized Controlled Trials	meta-analysis of RCTs	China/ USA	Jing Wang et al	<a href="https://www.medrxiv.org/content/10.1101/2020.04.13.20064295v1.full.pdf">https://www.medrxiv.org/content/10.1101/2020.04.13.20064295v1.full.pdf</a>		chloroquine/hydroxychloroquine	To evaluate the efficacy and safety of Chloroquine and hydroxychloroquine
20 April 2020	medRxiv	Physical interventions to interrupt or reduce the spread of respiratory viruses. Part 2 - Hand hygiene and other hygiene measures: systematic review and meta-analysis.	systematic review and meta-analysis	Saudi Arabia, Australia, Canada	Al-Ansary	<a href="https://www.medrxiv.org/content/10.1101/2020.04.14.20065250v1.full.pdf">https://www.medrxiv.org/content/10.1101/2020.04.14.20065250v1.full.pdf</a>	NA	hygiene interventions	To assess the effectiveness of hand hygiene, surface disinfecting, and other hygiene interventions in preventing or reducing the spread of illnesses from respiratory viruses
17 April 2020	medRxiv	An experimental trial of recombinant human interferon alpha nasal drops to prevent coronavirus disease 2019 in medical staff in an epidemic area	Clinical trial	China	Meng et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.04.11.20061473v1.full.pdf">https://www.medrxiv.org/content/10.1101/2020.04.11.20061473v1.full.pdf</a>	NCT04320238	Recombinant human interferon-alpha nasal drops	To investigate the efficacy and safety of recombinant human interferon alpha1b (rhIFN- $\alpha$ ) nasal drops in healthy medical staff to prevent COVID-19.
23 March 2020, updated 15 April 2020	medRxiv	An exploratory randomized, controlled study on the efficacy and safety of lopinavir/ritonavir or arbidol treating adult patients hospitalized with mild/moderate COVID-19 (ELACO)	RCT	China	Li et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.03.19.20038984v2.full.pdf">https://www.medrxiv.org/content/10.1101/2020.03.19.20038984v2.full.pdf</a>	NCT04252885	lopinavir/ritonavir (Kaletra), arbidol	Lopinavir-Ritonavir combination compared to Arbidol compared to no antiviral treatment
17 April 2020	medRxiv	Potential Effectiveness and Safety of Antiviral Agents in Children with Coronavirus Disease 2019: A Rapid Review and Meta-Analysis	review and meta-analysis	China	Shi et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.04.13.20064436v1.full.pdf">https://www.medrxiv.org/content/10.1101/2020.04.13.20064436v1.full.pdf</a>	NA	antivirals	To assess the potential effectiveness and safety of antiviral agents for COVID-19 in children.
17 April 2020	medRxiv	Efficacy and Safety of Antibiotic Agents in Children with COVID-19: A Rapid Review	rapid review	China	Wang et al	<a href="https://www.medrxiv.org/content/10.1101/2020.04.13.20064402v1.full.pdf">https://www.medrxiv.org/content/10.1101/2020.04.13.20064402v1.full.pdf</a>	NA	antibiotics	The aim of this review was to evaluate the efficacy and safety of antibiotic agents in children with COVID-19
Preprint	Médecine et Maladies Infectieuses	No evidence of rapid antiviral clearance or clinical benefit with the combination of hydroxychloroquine and azithromycin in patients with severe COVID-19 infection	Prospective virological assay	France	JM Molina et al.	<a href="https://www.sciencedirect.com/science/article/pii/S039907720300858?via%3Dihub">https://www.sciencedirect.com/science/article/pii/S039907720300858?via%3Dihub</a>	NA	Hydroxychloroquine, azithromycin	Is hydroxychloroquine effective for viral clearance when reproducing the study of Gautrel et al.?
Accepted 31 March 2020	Journal of Infection	The effect of corticosteroid treatment on patients with coronavirus infection: a systematic review and meta-analysis	Meta-analysis	China	Zhenwei Yang, et al.	<a href="https://www.sciencedirect.com/science/article/pii/S0163445320301912?via%3Dihub">https://www.sciencedirect.com/science/article/pii/S0163445320301912?via%3Dihub</a>	Grant from the National Natural Science Foundation of China (Jing Liu, grant no. 81472735) and the Wuhan University (Jing Liu, grant no. 2042019Kf0206	Corticosteroids	Evaluate the influence of corticosteroids in patients with coronavirus.
Preprint	Clinical Infectious Diseases	Towards Optimization of Hydroxychloroquine Dosing in Intensive Care Unit COVID-19 Patients	Prospective PK study	France	Sophie Perinel et al.	<a href="https://academic.oup.com/cid/article/doi/10.1093/cid/ciaa394/5816960">https://academic.oup.com/cid/article/doi/10.1093/cid/ciaa394/5816960</a>	NA	Hydroxychloroquine	What is the best dose of hydroxychloroquine for COVID19 patients?
	Journal of Molecular Cell Biology	Treating COVID-19 with Chloroquine	RCT	China	Mingxing Huang, et al.	<a href="https://academic.oup.com/jmcb/article/doi/10.1093/jmcb/mjaa014/5814655">https://academic.oup.com/jmcb/article/doi/10.1093/jmcb/mjaa014/5814655</a>	NA	Chloroquine, lopinavir, ritonavir	Is chloroquine better than lopinavir/ritonavir in severe and moderate COVID19 patients?
10 April 2020	NEJM	Compassionate Use of Remdesivir for Patients with Severe Covid-19	Report	UK, Canada, Europe, Japan	Grein et al.	<a href="https://www.nejm.org/doi/full/10.1056/NEJMoa2007016">https://www.nejm.org/doi/full/10.1056/NEJMoa2007016</a>	NA	Remdesivir	NA
10 March 2020	Journal of Critical Care	A systematic review on the efficacy and safety of chloroquine for the treatment of COVID-19	Systematic review	Italy	Andrea Cortegiani, et al.	<a href="https://www.sciencedirect.com/science/article/pii/S0883944120303907?via%3Dihub">https://www.sciencedirect.com/science/article/pii/S0883944120303907?via%3Dihub</a>	NA	Chloroquine	Summary of the existing the evidence on chloroquine for the treatment of COVID-19
Preprint	Journal International AIDS Society	Systematic review of the efficacy and safety of antiretroviral drugs against SARS, MERS, or COVID-19: initial assessment	Systematic review	Switzerland	N Ford et al.	<a href="https://onlinelibrary.wiley.com/doi/10.1002/jia2.25489">https://onlinelibrary.wiley.com/doi/10.1002/jia2.25489</a>	NA	Antiretroviral drugs	Systematic review of the clinical outcomes of using antiretroviral drugs for the prevention and treatment of coronaviruses and planned clinical trials

30 March 2020	Complementary Therapies in Clinical Practice	Respiratory rehabilitation in elderly patients with COVID-19: A randomized controlled study	Non-interventional RCT	China	Kai Liu, et al.	<a href="https://www.sciencedirect.com/science/article/pii/S1744388120304278">https://www.sciencedirect.com/science/article/pii/S1744388120304278</a>	Ethics committees of Hainan General Hospital and Huanggang Central Hospital (approval numbers: 19758 and 20200125)	Respiratory rehabilitation training	Investigate the effects of 6-week respiratory rehabilitation training on respiratory function, QoL, mobility and psychological function in elderly patients with COVID-19
6 March 2020	Complementary Therapies in Clinical Practice	Effects of progressive muscle relaxation on anxiety and sleep quality in patients with COVID-19	Non-interventional RCT	China	Kai Liu, et al.	<a href="https://www.sciencedirect.com/science/article/pii/S1744388120302784">https://www.sciencedirect.com/science/article/pii/S1744388120302784</a>	NA	Progressive muscle relaxation (sleep therapy)	Investigate the effect of progressive muscle relaxation on anxiety and sleep quality of COVID-19 patients
24 March 2020	MedRxiv	First Clinical Study Using HCV Protease Inhibitor Danoprevir to Treat Naive and Experienced COVID-19 Patients	CT	China	Chen et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.03.22.20034041v1.full.pdf">https://www.medrxiv.org/content/10.1101/2020.03.22.20034041v1.full.pdf</a>	NCT04291729	danoprevir/ritonavir	Effect of danoprevir in moderate COVID-19 patients
07 April 2020	MedRxiv	The potential of low molecular weight heparin to mitigate cytokine storm in severe covid-19 patients: a retrospective clinical study	Retrospective CT	China	Chen Shi et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.03.28.20046144v2">https://www.medrxiv.org/content/10.1101/2020.03.28.20046144v2</a>	not found	enoxaparin	Efficacy of enoxaparin
14 April 2020	MedRxiv	No evidence of clinical efficacy of hydroxychloroquine in patients hospitalised for COVID-19 infection and requiring oxygen: results of a study using routinely collected data to emulate a target trial	Retrospective analysis	France	Matthieu Mahévas et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.04.10.20060699v1.full.pdf">https://www.medrxiv.org/content/10.1101/2020.04.10.20060699v1.full.pdf</a>	NA	Hydroxychloroquine	To assess the effectiveness of Hydroxychloroquine in patients with severe Covid-19
27 March 2020	JAMA	Treatment of 5 critically ill patients with COVID-19 with convalescent plasma	Observational study	China	C.Shen, et al.	<a href="https://jamanetwork.com/journals/jama/fullarticle/2763983">https://jamanetwork.com/journals/jama/fullarticle/2763983</a>	Grants: National Science and Technology Major Project (2018ZX10711001, 2017ZX10103011, 2017ZX10204401), Sanming Project of Medicine in Shenzhen (SZSM201412003, SZSM201512005), China Postdoctoral Science Foundation (2019T120147, 2018M641508), Shenzhen Science and Technology Research and Development Project (202002073000001), National Natural Science Foundation of China (81902058), Shenzhen Science and Technology Research and Development	Convalescent plasma	Is plasma from convalescent patients beneficial for critically ill COVID19 patients?
6 April 2020	Proceedings of the National Academy of Sciences of the United States of America	The feasibility of convalescent plasma therapy in severe COVID-19 patients: a pilot study	Observational/retrospective control	China	Kai Duan et al	<a href="https://www.pnas.org/content/early/2020/04/02/2004168117">https://www.pnas.org/content/early/2020/04/02/2004168117</a>	ChiCTR2000030048	Convalescent plasma	Is treatment with convalescent plasma safe and beneficial for COVID19 patients?
Preprint	Influenza and other Respiratory Viruses	Medical Masks vs N95 Respirators for Preventing COVID-19 in Health Care Workers - A Systematic Review and Meta-Analysis of Randomized Trials	Systematic review	Canada	Jessica J Bartoszko, et al.	<a href="https://onlinelibrary.wiley.com/doi/pdf/10.1111/irv.12745">https://onlinelibrary.wiley.com/doi/pdf/10.1111/irv.12745</a>	NA	N95 respirators vs surgical masks	Compare medical masks to N95 respirators in preventing laboratory confirmed viral infection and respiratory illness including coronavirus specifically in health care workers.
Preprint	Disaster Medicine and Public Health Preparedness	RANDOMIZED TRIAL OF INSTRUCTOR-LED TRAINING VERSUS VIDEO LESSON IN TRAINING HEALTH CARE PROVIDERS IN PROPER DRESSING AND DOFFING OF PERSONAL PROTECTIVE EQUIPMENT	RCT	Denmark	L Christensen et al	<a href="https://www.cambridge.org/core/journals/disaster-medicine-and-public-health-preparedness/article/ randomized-trial-of-instructor-led-training-versus-video-lesson-in-training-health-care-providers-in-proper-dressing-and-doffing-of-personal-protective-equipment/CF08F4727D A9D536883ECBF0D04BC2570">https://www.cambridge.org/core/journals/disaster-medicine-and-public-health-preparedness/article/ randomized-trial-of-instructor-led-training-versus-video-lesson-in-training-health-care-providers-in-proper-dressing-and-doffing-of-personal-protective-equipment/CF08F4727D A9D536883ECBF0D04BC2570</a>	NA	Training on personal protective equipment	Is attending one live training session or watching video trainings over a month more effective for training on dressing and doffing personal protective equipment?
Preprint	Journal of Medical Virology	Performance of VivaDiagTM COVID-19 IgM/IgG Rapid Test is inadequate for diagnosis of COVID-19 in acute patients referring to emergency room department	Diagnostic assay	Italy	Irene Cassantini et al.	<a href="https://onlinelibrary.wiley.com/doi/epdf/10.1002/jmv.25800">https://onlinelibrary.wiley.com/doi/epdf/10.1002/jmv.25800</a>	NA	Diagnostic serological assay	To assess an easy to perform serological assay for diagnosis of COVID19
Preprint	Journal of Clinical Microbiology	Evaluation of Nucleocapsid and Spike Protein-based ELISAs for detecting antibodies against SARS-CoV-2	Diagnostic assay	China	Wanbing Liu, et al.	<a href="https://jcm.asm.org/content/early/2020/03/27/10.1128/JCM.00461-20">https://jcm.asm.org/content/early/2020/03/27/10.1128/JCM.00461-20</a>	DOI: 10.1128/JCM.00461-20; Hospital Ethics Committee of the General Hospital of the Central Theater Command 107 of the PLA ([2020]003-1)	Diagnostic serological assay	Evaluate the diagnostic feasibility of two ELISA assays
Article originally published in 2015; authors added comment on 30/03/2020	BMJ Open	A cluster randomised trial of cloth masks compared with medical masks in healthcare workers	RCT	Australia/Vietnam	MacIntyre CR et al.	<a href="https://bmjopen.bmj.com/content/5/4/e006577">https://bmjopen.bmj.com/content/5/4/e006577</a>	Australian New Zealand Clinical Trials Registry: ACTRN12610000887077.	medical masks, cloth masks	To compare the efficacy of cloth masks to medical masks in hospital healthcare workers
31 March 2020	MedRxiv	Efficacy of hydroxychloroquine in patients with COVID-19: results of a randomized clinical trial	RCT	China	Zhaowei Chen et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.03.22.20040758v2">https://www.medrxiv.org/content/10.1101/2020.03.22.20040758v2</a>	ChiCTR2000029559	Hydroxychloroquine	Assess the efficacy of hydroxychloroquine
Preprint		Clinical and microbiological effect of a combination of hydroxychloroquine and azithromycin in 80 COVID-19 patients with at least a six-day follow up: an observational study	RCT	France	Gautret et al.	<a href="https://www.mediterranean-infection.com/wp-content/uploads/2020/03/COVID-IHU-2-1.pdf">https://www.mediterranean-infection.com/wp-content/uploads/2020/03/COVID-IHU-2-1.pdf</a>	NA	Hydroxychloroquine, Azithromycin	Assess the efficacy of hydroxychloroquine associated with azithromycin
23 March 2020 (preprint, not yet peer-reviewed)	BMJ	An exploratory randomized, controlled study on the efficacy and safety of lopinavir/ritonavir or arbidol treating adult patients hospitalized with mild/moderate COVID-19 (ELACOI)	RCT	China	Li et al.	<a href="https://www.medrxiv.org/content/10.1101/2020.03.19.20038984v1">https://www.medrxiv.org/content/10.1101/2020.03.19.20038984v1</a>	NCT04252885	lopinavir/ritonavir (Kaletra), arbidol	Lopinavir-Ritonavir combination compared to Arbidol compared to no antiviral treatment

